View NSN Online: https://aerobasegroup.com/nsn/8030-00-935-7100

ACCRABOND, INC. -- ACCRABOND GRADE AVV -- 8030-00-935-7100

Product ID: ACCRABOND GRADE AVV MSDS Date:01/01/1987 FSC:8030 NIIN:00-935-7100 MSDS Number: BJZGK === Responsible Party === Company Name: ACCRABOND, INC. Address:8848 HACKS CROSS RD. **City:OLIVE BRANCH** State:MS ZIP:38654 Country:US Info Phone Num:601-895-4480 Emergency Phone Num:601-895-4480 CAGE:5V071 === Contractor Identification === **Company Name: ACCRABOND INC** Address:8848 HACKS CROSS RD Box:City:OLIVE BRANCH State:MS ZIP:38654-3884 Country:US Phone:601-895-4480 CAGE:5V071 Ingred Name: ETHYLENE GLYCOL METHACRYLATE MONOMER CAS:868-77-9 RTECS #:OZ4725000

Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcin

ogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure:IRRITATION OF SKIN, HEADACHES AND CRAMPING.

======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. INGESTION: SEE A PHYSICIAN.
======================================
Flash Point Method:COC Flash Point:> 250F/> 120C Lower Limits:NON-VOLATILE Upper Limits:NON-V OLATILE
Extinguishing Media:WATER, CO2, SAND OR FOAM
======================================
Spill Release Procedures: WIPE UP WITH PAPER TOWEL OR RAGS. CLEAN AREA WITH TOLUENE OR KETONES.
======================================
Handling and Storage Precautions: DO NOT FILL CONTAINER OVER HALF FULL.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:OPTIONAL Ventilation:LOCAL AND MECHANICAL EX HAUST ARE OPTIONAL. Protective Gloves:PLASTIC GLOVES OR PROTECTIVE HAND CREAM
Eye Protection:SAFETY GOGGLES OPTIONAL Work Hygienic Practices:WASH CLOTHING WITH DISHWASHING DETERGENT. Supplemental Safety and Health
======================================
Boiling Pt:B.P. Text:>392F,>200C Vapor Pres:< 0.01 Vapor Density:8.6 Spec Gravity:1.06 Solubility in Water:INSOLUBLE Appearance and Odor:RED

Stab

ility Indicator/Materials to Avoid:YES ORGANIC PEROXIDES, SALTS, METALS. Stability Condition to Avoid:REACTS IN WATER. Conditions to Avoid Polymerization:TEMPERATURES ABOVE 55C./121F.

Waste Disposal Methods:REACT WITH PRIMER AND DISPOSE AS INERT MATERIAL. CONSULT FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.