

S C JOHNSON & SON, INC -- LEMON SHINE-UP, PRESSURIZED -- 7930-01-056-9929

===== Product Identification =====

Product ID:LEMON SHINE-UP, PRESSURIZED

MSDS Date:06/29/1990

FSC:7930

NIIN:01-056-9929

MSDS Number: BJZXY

=== Responsible Party ===

Company Name:S C JOHNSON & SON, INC

City:RACINE

State:WI

ZIP:53403-5011

Country:US

Info Phone Num:414-631-2777

Emergency Phone Num:414-631-2000

Preparer's Name:TERRY A. MEYERS

CAGE:0U826

=== Contractor Identification ===

Com

pany Name:S C JOHNSON & SON INC/PROF WAX DIV

Address:1525 HOWE ST

City:RACINE

State:WI

ZIP:53403

Country:US

Phone:800-725-6737/414-886-1480 INTNL#

CAGE:0U826

Company Name:SC JOHNSON AND SON INC

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2236

Country:US

Phone:800-725-6737

CAGE:32204

===== Composition/Information on Ingredients =====

Ingred Name:ISOPARAFFINIC HYDROCARBON SOLVENT

CAS:64475-85-0

RTECS #:PY8240000

Fraction by Wt: 10-20%

Other REC Limits:300 PPM PER EX

XON

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
Fraction by Wt: 5-10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9192

Ingred Name:SILICONE FLUID
CAS:63148-62-9
Fraction by Wt: 1-3%
Other REC Limits:NONE SPECIFIED

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 70-80%
Other REC Limits:NONE SPECIFIED

Ingred Name:ISOBUTANE (REPORTING REQUIREMENTS PA, NJ, MA)
CAS:75-28-5
RTECS #:TZ4300000
Fraction by Wt: 5-10%
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Health Hazards Acute and Chronic:DIRECT CONTACT OF PRODUCT WITH EYES
CAN CAUSE IRRITATION.

===== First Aid Measures =====

First Aid:FLUSH EYES WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS,
SEEK MEDICAL AID.

===== Fire Fighting Measures =====

Flash Point:NR
Extinguishing Media:FOAM, CO2,

DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.

FIGHT FIRE FROM MAXIMUM DISTANCE OR PROTECTED AREA. COOL & USE

CAUTION WHEN APPROACHING/HANDLING EXPOSED CONTAINERS

Unusual Fire/Explosion Hazard:CONTAINER MAY BURST IN HEAT OF FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES. ABSORB WITH

OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND

CONTAINER

IZE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE W/GOOD

VENTILATION. DO NOT FREEZE. DO NOT PRESSURIZE, CUT, HEAT, WELD OR

FLAME EXPOSE, EXPLOSION MAY OCCUR. AVOID OVERSPRAY.

Other Precautions:DO NOT USE NEAR FIRE, FLAME, PILOT LIGHT. DO NOT SET

ON STOVE/RADIATOR OR KEEP WHERE TEMP EXCEEDS 120F, CONTAINER MAY

BURST. DO NOT PUNCTURE/THROW IN FIRE. KEEP OUT OF REACH OF

CHILDREN. NEVER USE ON FLO

ORS OR WALKED ON SURFACES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL CONDITIONS.

Ventilation:GENERAL ROOM VENTILATION ADEQUATE.

Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:NA

Vapor Pres:ND

Vapor Density:ND

Spec Gravity:0.9

Evaporation Rate & Reference:NA

Solubi

lity in Water:NEGLIGIBLE

Appearance and Odor:DISPENSED AS CREAM SPRAY WITH LEMON ODOR.

Percent Volatiles by Volume:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AEROSOL CAN BY WRAPPING AND PLACING IN TRASH. DO NOT PUNCTURE OR BURN CONTAINER. DISPOSE OF SPILLED RESIDUES AND MULTIPLE UNITS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.