

DEXTER ADHESIVES & STRUCTURAL MATERIALS -- EA 9330 PART B -- 8040-01-137-8418

===== Product Identification =====

Product ID:EA 9330 PART B

MSDS Date:09/29/1989

FSC:8040

NIIN:01-137-8418

Kit Part:Y

MSDS Number: BKJVK

=== Responsible Party ===

Company Name:DEXTER ADHESIVES & STRUCTURAL MATERIALS

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA

ZIP:94565

Country:US

Info Phone Num:415-68

7-4201

Emergency Phone Num:415-687-4201/800-424-9300(CHEMTREC)

Preparer's Name:SUZANNE FRANZ

CAGE:33564

=== Contractor Identification ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

===== Composition/Information on Ingredients =====

Ingred Name:ALKYLAMINE

Other REC Limits:NONE SPECIFIED

Ingred Name:VOC:< 10 G/L ESTIMATE

RTECS #:9999999VO

Other

REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MATERIAL IS CORROSIVE TO SKIN. MAY
CAUSE CHEMICAL BURN TO EYES AND SKIN. VAPORS ARE IRRITATING AND MAY
CAUSE CHEST DISCOMFORT. MODERATELY TOXIC BY INGESTION. REPEATED
CONTACT MAY CAUSE SENSITIZATION.
Effects of Overexposure:POSSIBLE BURNS TO EYES AND
SKIN; IRRITATION AND
POSSIBLE SENSITIZATION TO SKIN.

=====
===== First Aid Measures =====

First Aid:FLUSH SKIN AND EYE CONTACT WITH PLENTY OF WATER. WASH
THOROUGHLY WITH SOAP AND WATER, RUBBING ALCOHOL OR HAND CLEANER. DO
NOT USE SOLVENTS. REMOVE SOILED CLOTHING AND WASH BEFORE REUSE. IF
IRRITATION PERSISTS, SEE PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:> 300
Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTINGUISHER, OR WATER
SPRAY, FOAM OR FOG.
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WHEN
FIGHTING FIRES IN CONFINED AREAS.
Unusual Fire/Explosion Hazard:DENSE SMOKE AND TOXIC GASSES MAY BE
LIBERATED.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING, GLOVES AND SAFETY
GLASSES. SCRAPE UP AND TRANSFER TO METAL CONTAINER. WIPE UP
REMAINING RESIDUE WITH
WATER-SOLUBLE SOLVENTS, OBSERVING SOLVENT FLAMMABILITY
CAUTIONS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP COOL IN ACCORDANCE WITH LABEL
INSTRUCTIONS. STORE AT ROOM TEMPERATURE (77 F) FOR 12 MONTHS.
Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED WITH GOOD INDUSTRIAL VENTILATION.
Ventilation:LOCAL EXHAUST RECOMMENDED.
Protective Equipment:SEE SAFETY DATA SHEET FOR RECOMMENDATIONS.

ve Gloves:IMPERVIOUS PLASTIC OR RUBBER.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING.

Supplemental Safety and Health

*FAILURE TO OBSERVE CAUTION MAY RESULT IN EXCESSIVE HEAT BUILD-UP WITH THE RELEASE OF TOXIC GASSES.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:DECOMPOSES

Vapor Pres:< 0.01 MM

Vapor Density:NIL

Spec Gravity:> 1

Solubility in Water:NIL

Appearance and Odor:REDDISH-ORANG

E LIQUID WITH AMMONIACAL ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.

Hazardous Decomposition Products:CO, NOX, ALDEHYDES, ACIDS AND UNDETERMINED ORGANICS.

Conditions to Avoid Polymerization:AVOID MIXING RESIN & CURING AGENT IN BATCHES >1 LB TOTAL.DO NOT HEAT MIXED ADHESIVE UNLESS CURING SURFACES TO BE BONDED*

===== Disposal Considerations

=====

Waste Disposal Methods:DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.