

BATTENFELD GREASE AND OIL CORP OF NEW YORK INC -- FOG OIL -- 9150-00-261-7895

=====  
Product Identification  
=====

Product ID:FOG OIL

MSDS Date:07/01/1991

FSC:9150

NIIN:00-261-7895

MSDS Number: BKKJP

=== Responsible Party ===

Company Name:BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

Address:1174 ERIE AVE

Box:728

City:NORTH TONAWANDA

State:NY

ZIP:14120-3036

Country:US

Info Phone Num:716-695-2100

E

mergency Phone Num:716-695-2100

Preparer's Name:DENNIS KROL

CAGE:EO110

=== Contractor Identification ===

Company Name:BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

Address:1174 ERIE AVE

Box:728

City:NORTH TONAWANDA

State:NY

ZIP:14120-3036

Country:US

Phone:716-695-2100

CAGE:60226

Company Name:BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

Address:1174 ERIE AVE

Box:728

City:NORTH TONAWANDA

State:NY

ZIP:14120-3036

Country:US

Phone:716-695-2100

CAGE:EO110

=====  
Composition/Information on

Ingredients =====

Ingred Name:HYDROTREATED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM/MINERAL OIL

CAS:64742-52-5

RTECS #:PY8035000

Fraction by Wt: 100.0%

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-EYES/SKIN:MILD IRRITAT

ION.INHALATION:NO HARMFUL VAPORS EXCEPT AT HIGH TEMPERATURE.INGESTION:NOT GIVEN.CHRONIC-NONE GIVEN.

Effects of Overexposure:SEE HEALTH HAZARDS SECTION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION.INHALATION:MOVE TO FRESH AIR.EYES:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES.SKIN:WASH AFFECTED AREA WITH SOAP AND WATER.INGESTION:OBTAIN MEDICAL ATTENTION.

==

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:330F,166C

Autoignition Temp:Autoignition Temp Text:370F

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, EARTH/SAND OR DRY CHEMICAL. WATER MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE

==

===== Accidental Release Measures =====

Spill Release Procedures:WEAR APPROPRIATE RESPIRATORY PROTECTION AND PROTECTIVE CLOTHING.CONTAIN SPILL.ABSORB WITH CLAY, DIATOMACEOUS EARTH OR ANY OTHER INERT ABSORBENT. SHOULD NOT CONTAMINATE DRAINAGE SYSTEMS, RIVER OR WATER WAYS.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE AWAY FROM FLAMES AND EXTREME HEAT.KEEP CONTAINER CLOSED.

Other Precautions:AVOID CONTACT WITH EYES AND SKIN. WASH HANDS BEFORE EATING OR DRINKING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR SUPPLIED BREATHING EQUIPMENT IF OIL MIST IS GENERATED.

Ventilation:VENTILATE AS NEEDED TO COMPLY WITH EXPOSURE LIMIT.

Protective Gloves:NEOPRENE

Eye Protection:GOGGLES IF OIL IS BEING SPRAYED/SPLASHED

Other Protective Equipment:EYE WASH STATION.LONG SLEEVE CLOTHING TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:700F,371C

Melt/Freeze Pt:M.P/F.P Text:-40F,-40C

Spec Gravity:0.89

Solubility in Water:NIL

Appearance and Odor:FLUID OIL- BLAND

Percent Volatiles by Volume:0

===== Stability and React

ivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: HIGH HEAT, OPEN FLAMES

Hazardous Decomposition Products: CARBON MONOXIDE AND DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods: CONTROLLED BURNING OR DISPOSAL CONFORMING TO ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This inform

ation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.