

===== Product Identification =====

Product ID:VV-D-1078/DAMPING FLUID 20 CS
MSDS Date:09/20/1991
FSC:9150
NIIN:00-487-4219
MSDS Number: BKSRP
=== Responsible Party ===
Company Name:PHIPPS PRODUCTS CORPORATION
Address:186 LINCOLN STREET SUITE 502
City:BOSTON
State:MA
ZIP:02111-2403
Country:US
Info Phone Num:COMPANY OUT OF BUSINESS
Emergency Phone Num:COMPANY OUT OF BUSINESS
Prepare
r's Name:DGSC-SSH
CAGE:86511
=== Contractor Identification ===
Company Name:PHIPPS PRODUCTS CORP
Address:186 LINCOLN ST SUITE 502
Box:City:BOSTON
State:MA
ZIP:02111-2403
Country:US
Phone:OUT OF BUSINESS
CAGE:86511

===== Composition/Information on Ingredients =====

Ingred Name:POLYDIMETHYL SILOXANE
CAS:9016-00-6
RTECS #:TQ2690000
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (O

RAL RAT) IS > 40000 MG/KG

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONTOXIC, NON-IRRITATING

Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP,
OR OSH AS A CARCINOGEN.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES:

FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING
EYELID. SKIN: WASH WITH SOAP & WATER. REMOVE CONTAMINATE CLOTHING.
INGESTION: DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF
UNCONSCIOUS. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:400F, 204C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCB &
FULL PROT

EFFECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO CO NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:WATER MAY CAUSE FROTHING.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP GROSS QUANTITIES. COVER SURFACE WITH
A DRY POWDER, BRUSH BACK AND FORTH, SWEEP UP. REMOVE REMAINING DUST
OR POWDER WITH A SAWDUST-TYPE SWEEPING COMPOUND.

Neutralizing Agent:NONE

===== Handling and Storage =
=====

Handling and Storage Precautions:NONE

Other Precautions:CLEAN UP SPILLS COMPLETELY AS RESIDUE IS SLIPPERY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NONE NORMALLY REQUIRED.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:NONE NORMALLY REQUIRED.

Other Protective Equipment:NONE

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES.
LAUNDER CONTAMINATED CLOTHI

NG BEFORE REUSE. KEEP WORK AREA CLEAN.
Supplemental Safety and Health
COMPANY OUT OF BUSINESS. MSDS GENERATED BY DGSC-SSH.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:NONVOLATILE
Spec Gravity:0.97
Evaporation Rate & Reference:N/K (N-BUTYL ACETATE=1)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:CLEAR, COLORLESS LIQUID. NO ODOR.
Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stabil
ity Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATION IS BEST. OPEN BURNING IS
SATISFACTORY IF WHITE SMOKE IS NOT OBJECTIONABLE. DISPOSAL SHOULD
BE MADE IN ACCORDANCE WITH A APPLICABLE FEDERAL, STATE AND LOCAL
REGULATIONS.

Disclaimer (provided with this information by the c
ompiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.