View NSN Online: https://aerobasegroup.gr/nsn/8010-00-598-5733

DEL PAINT MFG. -- TT-P-29J TYPE I -- 8010-00-598-5733

Product ID:TT-P-29J TYPE I MSDS Date:09/04/1990

FSC:8010

NIIN:00-598-5733

MSDS Number: BKZZQ === Responsible Party ===

Company Name: DEL PAINT MFG.

Address:3105 E. RENO City:OKLAHOMA CITY

State:OK ZIP:73117 Country:US

Info Phone Num:405-672-1431

Emergency Phone Num:800-424-9300 CHEMTREC

Preparer's Name: ONEY FLE

MING

CAGE:DELPA

=== Contractor Identification === Company Name:DEL PAINT MFG

Address:3105 EAST RENO Box:City:OKLAHOMA CITY

State:OK ZIP:73117 Country:US

Phone: 405-672-1431

CAGE:39934

Company Name: DEL PAINT MFG.

Address:3105 E. RENO City:OKLAHOMA CITY

State:OK Country:US

Phone: 405-672-1431

CAGE:DELPA

======= Composition/Information on Ingredients ========

Ingred Name: ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW2975000 Fraction by Wt: 3.03% OSHA PEL:C 50 PPM ACGIH TLV:C 50 PP

M, VAPOR; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name:2,2,4-TRIMETHYL-1,3-PENTANEDIOL MONOISBUTYRATE (TEXANOL ESTER ALCOHOL CAS:25265-77-4 RTECS #:UF6000000 Fraction by Wt: 0.65% Other REC Limits: NONE SPECIFIED **OSHA PEL:NONE ACGIH TLV:NONE** Ingred Name: VOC: 1.22 LBS/GL RTECS #:9999999VO Other REC Limits: NONE SPECIFIED ========== Hazards Identification ================= Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES Health Hazards Acute and Chronic:MAY CAUSE SOME NAUSEA IF INGESTED. Effects of Overexposure: CAN CAUSE IRRITATION OF RESPIRATORY PASSAGES. First Aid:IF INGESTED: GIVE 2 GLASSES OF WATER AND INDUCE VOMITING. SKIN: FLUSH WITH WATER. EYES: FLUSH WITH WATER. INHALATION: NO EMERGENCY CARE ANTICIPATED. ============ Fire Fighting Measures ========================= Flash Point Method:SCC Flash Point:NA Autoignition Temp: Autoignition Temp Text: 241F Lower Limits:.06 Extinguishing Media: FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard: THIS PRODUCT WILL NOT BURN UNTIL THE WATER HAS EVAPORATED. FOR RESIDUAL SOLID, USE METHODS DESCRIBED ABOVE.

======== Accidental Release Measures ============

====== Handlin

Spill Release Procedures: MAJOR SPILLS SHOULD BE COLLECTED FOR DISPOSAL.
MINOR SPILLS MAY BE FLUSHED TO SEWER IF LOCAL REGULATIONS PERMIT.

Handling and Storage Precautions:PROTECT FROM FREEZING. Other Precautions:DO NOT TAKE INTERNALLY. KEEP AWAY FROM CHILDREN.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:APPROVED MECHANICAL FILTER RESPIRATOR TO REMOVE SOLID AIRBORNE PARTICLES OF OVER-SPRAY DURING SPRAY APPLICATION. Ventilation:NORMAL, SUCH AS A FAN. Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE Supple mental Safety and Health
========= Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:212 TO 387F Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Decomp Temp:Decomp Text:212F,100C Vapor Pres:NONE Vapor Density:> AIR Spec Gravity:1.55 pH:8.5-* Viscosity:82-110 KU Evaporation Rate & amp; Reference:SLOWER THAN ETHER Solubility in Water:SLIGHT Appearance and Odor:WHITE LIQUID WITH FAINT ODOR. Percent Volatiles by Volume:67.22 Corrosion Rate:*9.5
========= Stabil ity and Reactivity Data ==================================
Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:DO NOT TAKE INTERNALLY. Hazardous Decomposition Products:NONE
======= Disposal Considerations ==========
Waste Disposal Methods:BURY IN A LANDFILL WHERE PERMITTED UNDER APPROPRIATE FEDERAL, STATE AND LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of t

g and Storage =========

he Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.