

THOMAS W. DUNN CORP. -- MMM-A-260 TYPE 2 CLASS 2 -- 8040-00-273-8703

=====  
Product Identification  
=====

Product ID:MMM-A-260 TYPE 2 CLASS 2

MSDS Date:03/30/1989

FSC:8040

NIIN:00-273-8703

MSDS Number: BLJTG

=== Responsible Party ===

Company Name:THOMAS W. DUNN CORP.

Address:9 VICTORIA TERRACE

City:RIDGEFIELD

State:NJ

ZIP:07657

Country:US

Info Phone Num:201-943-1130

Emergency Phone Num:201-943-1130

CAGE:DUNNC

=== Contractor Identification ===

Company Name:THOMAS W. DUNN CORP.

Address:9 VICTORIA TERRACE

City:RIDGEFIELD

State:NJ

ZIP:07657

Country:US

Phone:201-943-1130

CAGE:DUNNC

=====  
Composition/Information on Ingredients  
=====

Ingred Name:BUTYL BENZYL PHTHALATE (SARA III)

CAS:85-68-7

RTECS #:TH9990000

Fraction by Wt: 1%

Other REC Limits:NONE SPECIFIED

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

=====  
Hazards Identification  
=====

Health H

azards Acute and Chronic:THIS PRODUCT IS NOT CLASSIFIED  
HAZARDOUS ACCORDING TO THE FEDERAL OSHA HAZARD COMMUNICATION  
STANDARD.

=====  
First Aid Measures  
=====

First Aid:INHALATION: REMOVE TO FRESH AIR IF VAPOR IS IRRITATING. SKIN:  
FLUSH WITH WATER. EYE: SYMPTOM IS MILD CONJUCTIVAL IRRITATION; WASH  
EYES THOROUGHLY WITH WATER. CONSULT PHYSICIAN. INGESTION: DO NOT  
INDUC E VOMITING. CONSULT PHYSICIAN.

=====  
Fire Fighting Me  
asures  
=====

Flash Point:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:COLLECT SPILL IN SETTLING POND OR OTHER  
COLLECTION/CONTAINMENT AREA.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:SHOULD BE STORED AT ROOM TEMPERATURE  
TO PROLONG STORAGE LIFE.  
Other Precautions:KEEP FROM FREEZING.

=====  
Exposure Controls/Personal Protection  
=====

Respira  
tory Protection:NOT NECESSARY  
Protective Gloves:SUGGEST GLOVES IF CONTACT PROLONGED.  
Eye Protection:SAFETY GLASSES.  
Other Protective Equipment:SCOTT AIR PACK OR EQUIVALENT IF DEEMED  
NECESSARY.  
Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:N1  
Boiling Pt:B.P. Text:212F,100C  
Spec Gravity:1.0-1.2  
Evaporation Rate & Reference:SLOWER THAN WATER  
Solubility in Water:DISPERSION 100%  
Appearance and Odor:WHITE LIQUID, NEUTRAL-MILD ODOR.  
Pe

Percent Volatiles by Volume:62 MAX

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
BORAX

===== Disposal Considerations =====

Waste Disposal Methods: PREFERRED METHODS ARE INCINERATION OR BURYING,  
THESE OR OTHER METHODS SHOULD COMPLY WITH LOCAL, STATE AND FEDERAL  
REGULATIONS. INCINERATE IN APPROVED FACILITY.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.