

HERNON MANUFACTURING, INC -- NUTS N BOLTS 248 -- 8030-00-952-2205

=====
Product Identification
=====

Product ID:NUTS N BOLTS 248

MSDS Date:10/01/1989

FSC:8030

NIIN:00-952-2205

MSDS Number: BLNGJ

=== Responsible Party ===

Company Name:HERNON MANUFACTURING, INC

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208

Country:US

Info Phone Num:718-649-3000

Emergency Phone Num:718-649-3000

CAGE:DO34

6

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

=====
Composition/Information on Ingredients
=====

Ingred Name:1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE)
(SARA III)

CAS:80-15-9

RTECS #:MX2450

000

Fraction by Wt: 4%

Other REC Limits:NONE SPECIFIED

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:TRIALKYAMINE

Fraction by Wt: 3%

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE

Explanation of Carcinogenicity:NOT LISTED IN ANY OF THE ABOVE.

Effects of Overexposure:MAY CAUSE DERMATITIS IF PR

OLONGED CONTACT WITH

SENSITIVE INDIVIDUALS.

Medical Cond Aggravated by Exposure:MAY CAUSE DERMATITIS IF PROLONGED

CONTACT WITH SENSITIVE INDIVIDUALS.

=====
===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM.

OBTAIN MEDICAL ATTENTION. INHALATION: DOES NOT APPLY. SKIN CONTACT:

FLUSH WITH WATER. EYE CONTACT: FLUSH WITH WATER.

=====
===== Fire Fighting Measures =====

Flash Po

int Method:TCC

Flash Point:>200F,>93C

Lower Limits:DNA

Upper Limits:DNA

Extinguishing Media:C02, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN AN ENERT ABSORBENT. STORE IN PARTLY

FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 110 F TO PRESERV

E SHELF

LIFE. AVOID PROLONGED SKIN CONTACT.

Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NECESSARY.

Ventilation:LOCAL EXHAUST: NOT NECESSARY. MECHANICAL (GENERAL):
REQUIRED. OTHER: NOT NORMALLY NECESSARY.

Protective Gloves:RUBBER OR PLASTIC GLOVES RECOMMENDED

Eye Protection:SAFETY GLASSES OR GOGGLES RECOMMENDED.

Other Protective Equipment:NONE

Work Hygienic Practices:AS REQUIRED

Supplemental Safety and Health

===

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres:1 (BU AC=1)

Solubility in Water:SLIGHT

Appearance and Odor:BROWN LIQUID WITH A MILD ODOR.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:ESCESS HEAT AND STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:NONE

=====
===== Disposal Considerations =====

Wast

e Disposal Methods:BURY OR INCINERATE IN ACCORDANCE WITH EPA AND
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and

a

ssume responsibility for the suitability of this information to their particular situation.