

BAKER SEALANTS AND COATINGS CO -- LEATHER DRESSING -- 8030-00-273-8719

=====
Product Identification
=====

Product ID:LEATHER DRESSING

MSDS Date:01/01/1987

FSC:8030

NIIN:00-273-8719

MSDS Number: BLXGP

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Info Phone Num:201-333-6986

Emergency Phone Num:201-33

3-6986

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

Company Name:STEVENS INDUSTRIES

Address:39 AVE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002

Country:US

Phone:201-437-6500

CAGE:70372

=====
Composition/Information on Ingredients
=====

Ingred Name:ANIMAL FATTY OIL

CAS:8016-28-2

Fraction by Wt: 35%

Other REC Limits:NONE SPECIFIED

Ingred Name:MINERAL SPIRITS
Fraction by Wt: 14%
Other REC Limits:NONE SPECIFIED
OSHA PEL:400 PPM
ACGIH TLV:400 PPM

Ingred Name:ESTER GUM
Fraction by Wt: 30%
Other REC Limits:NONE SPECIFIED

Ingred Name:PARAFFIN WAX
CAS:8002-74-2
RTECS #:RV0350000
Fraction by Wt: 12%
Other REC Limits:NONE SPECIFIED
OSHA PEL:2 MG/M3 (FUME)
ACGIH TLV:2 MG/M3 (FUME); 9192

Ingred Name:MICROCRYSTALLINE WAX
Fraction by Wt: 9%
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: MAY CAUSE NARCOSIS SIMILAR TO
GASOLINE IF VAPORS ARE BREATHED IN A CONFINED SPACE.
CHRONIC:UNKNOWN.
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.
Effects of Overexposure:HIGH EXPOSURES IN CONFINED AREAS MAY CAUSE
NARCOSIS SIMILAR TO GASOLINE.
Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====

First Aid:INHALATION: MOVE TO FRESH AIR.CALL DOCTOR. SKIN: WASH
THOROUGHLY WITH SOAP AND WATER. EYES: FLUSH WITH WATER FOR AT LEAST
15 MINUTES. IF SYMPTOMS PERSIST SEE DOCTOR. INGESTION: GIVE SEVERAL
GLASSES OF WATER. IF SYMTOMS PERSIST SEE A DOCTOR.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:151F,66C
Lower Limits:0.8 @212F
Upper Limits:6.0
Extinguishing Media:CHEMICAL FIRE EXTINGU

ISHER

Fire Fighting Procedures:USE SCBA AND PROTECTIVE CLOTHING FOR FIGHTING FIRES IN ENCLOSED AREAS.

Unusual Fire/Explosion Hazard:DO NOT STIR OR MIX WITH OXIDIZERS.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP WITH CLOTH. SCOOP UP MATERIAL AND PLACE IN WASTE CONTAINER.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME.

Other Precautions:AVOID BREATHING VAPORS, AVOID PROLONGED EXPOSURE. VAPORS ARE COMBUSTIBLE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR WHEN USING IN CONFINED OR POORLY VENTILATED AREAS.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION. USE EXPLOSION PROOF VENTILATING EQUIPMENT.

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection:NONE NORMALLY REQUIRED.

Other P

rotective Equipment:HYDROCARBON INSULATION APRON.

Work Hygienic Practices:WASH HANDS WELL WITH SOAP AND WATER AFTER EACH USE.

Supplemental Safety and Health

USE ONLY WITH ADEQUATE VENTILATION.

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:=148.9C, 300.F

Vapor Pres:29MM @20 C

Vapor Density:5.0

Spec Gravity:0.8

Evaporation Rate & Reference:0.1 (N-BUTYL ACETATE=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:BROWN SEMI-SOLID

Percent Volatiles

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
AVOID MIXING WITH STRONG OXIDIZERS.
Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products: OXIDES OF CARBON.

===== Disposal Considerations =====

Waste Disposal Methods: CONTACT LOCAL ENVIRONMENTAL OFFICER. DISPOSE OF
IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL LAWS. MANUFACTURER
STATES DISPOSE
OF WITH NORMAL WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to
their
particular situation.