

CHAMPION OIL -- LUB OIL, GEAR, 85W/140 GRADE -- 9150-01-035-5395

===== Product Identification =====

Product ID:LUB OIL, GEAR, 85W/140 GRADE

MSDS Date:03/17/1987

FSC:9150

NIIN:01-035-5395

MSDS Number: BLXJF

=== Responsible Party ===

Company Name:CHAMPION OIL

Address:1427 N 3RD STREET, SUITE 220

City:PHOENIX

State:AZ

ZIP:85004

Country:US

Emergency Phone Num:OUT OF BUSINESS

Preparer's Name:DGSC-SSH

(804-279-4371)

CAGE:MO660

=== Contractor Identification ===

Company Name:CHAMPION OIL

Address:1427 N 3RD STREET, SUITE 220

Box:City:PHOENIX

State:AZ

ZIP:85004

Country:US

CAGE:MO660

Company Name:CHAMPION OIL CORP

Address:1427 N 3RD ST. SUITE 220

Box:City:PHOENIX

State:AZ

ZIP:85004

Country:US

Phone:602-254-2563

CAGE:0KGY0

===== Composition/Information on Ingredients =====

Ingred Name:HYDROCARBON OIL

Other REC Limits:5MG/CUM AS OIL MIST

Ingred Name:ADDITIVES AND OTHER INGREDIEN

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND
RESPIRATORY TRACT.VAPORS CONTAIN H*2S GAS,MAY CAUSE RESPIRATORY
COLLAPSE OR DEATH. CHRONIC:IRRITATION.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
WORSEN.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER; CALL A PHYSICIAN. SKIN:
WASH THOROUGHLY WITH PLENTY OF WATER USING SOAP. INHALATION: REMOVE
TO FRESH AIR; CALL A PHYSICIAN; INGESTION: DO NOT INDUCE VOMITING;
SEEK MEDICAL HELP IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:170F/77C
Extinguishing Media:CO*2,DRY CHEMICAL,FOAM
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual
Fire/Explosion Hazard:PRODUCT OF COMBUSTION LIKE OXIDES OF
SULFUR, OXIDES OF NITROGEN,CO OR CO*2.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION; ELIMINATE ALL
SOURCES OF IGNITION; CONTAIN FREE LIQUID; RECOVER WITH SUITABLE
ABSORBENT MATERIAL FOR PROPER DISPOSAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AND WELL VENTILATED

AREA. KEEP AWAY FROM HEAT, OPEN FLAMES. WASH THOROUGHLY AFTER EACH USE.

Other Precautions:NONE STATED.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE PEL/TLV.

Ventilation:LOCAL OR GENERAL TO MAINTAIN AN ADEQUATE VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL GOGGLES/SIDE SHIELD

Other Protective Equipment:APRON, EYE WASH, SAFETY SHOWER

Work Hygienic Practic

es:AVOID CONTACT WITH EYES,SKIN AND INHALATION OF VAPORS OR MIST.DO NOT USE CONTAMINATED CLOTHES.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V4

Vapor Pres:NEGLIGIBLE

Spec Gravity:1.07

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIQUID HYDROCARBON (MIXTURE)

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:OPEN FLAME

OR EXTREME HEAT. DO NOT HEAT ABOVE 140F.

Hazardous Decomposition Products:H*2S,OXIDES OF S*2,OXIDES OF NITROGEN OR CO AND OR CO*2

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of

America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.