

DEANCO INC -- VARGLAS SILICONE RUBBER SLEEVING -- 5970-00-221-5262

===== Product Identification =====

Product ID:VARGLAS SILICONE RUBBER SLEEVING

MSDS Date:04/27/1989

FSC:5970

NIIN:00-221-5262

MSDS Number: BLZDX

=== Responsible Party ===

Company Name:DEANCO INC

Address:7933 QUEENAIR DR

City:GAITHERSBURG

State:MD

ZIP:20879-4137

Country:US

Info Phone Num:301-948-5444

Emergency Phone Num:301-948-5444

CAGE:9K946

=== Contractor Identification ===

Company Name:DEANCO INC

Address:7933 QUEENAIR DR

Box:City:GAITHERSBURG

State:MD

ZIP:20879-4137

Country:US

Phone:301-948-5444

CAGE:9K946

===== Composition/Information on Ingredients =====

Ingred Name:FIBERGLASS-SIO2, NACO3, CAO

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3(TOTAL DUST)

ACGIH TLV:10 MG/M3 (DUST)

Ingred Name:SILICONE RUBBER-VINYL, METHYL & PHENYL

Other REC Limits:NONE SPECIFIED

===== Hazards Ide

ntification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: SKIN CONTACT-TRANSIENT  
MECHANICAL IRRITATION. EYE CONTACT-DIRECT CONTACT WILL CAUSE  
MECHANICAL IRRITATION. INGESTION-UNLIKELY TO OCCUR. CHRONIC:  
SKIN-NONE. EYE-NONE. INGEST-NONE.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.

Effects of Overexposu

re:OBSERVE INDIVIDUAL. IF SYMPTOMS DEVELOP,  
CONSULT PHYSICIAN.

Medical Cond Aggravated by Exposure:SKIN PROBLEMS.

===== First Aid Measures =====

First Aid:WASH EXPOSED AREA WITH SOAP AND WATER.

===== Fire Fighting Measures =====

Extinguishing Media:STANDARD FIRE EXTINGUISHER.

Fire Fighting Procedures:WEAR FACE MASK AND YSELF-CONTAINED BREATHING  
APPARATUS APPROVED BY THE U.S. BUREAU OF MINES.

Unusual Fire/Explosio

n Hazard:NO EXPLOSIVE HAZARD.

===== Handling and Storage =====

Handling and Storage Precautions:NONE

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR A NIOSH/MSHA APPROVED FACE MASK AND  
SELF-CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL AND MECHANICAL(GENERAL) EXHAUST TO PROVIDE ADEQUATE  
VENTILATION.

Protective Gloves:NOT NEEDED.

Eye Protection:SAFETY GLASSES IF NEEDED.

Other P

Protective Equipment:NONE.

Work Hygienic Practices:WASH EXPOSED AREAS WITH SOAP AND WATER.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:2.25

Solubility in Water:INSOLUBLE

Appearance and Odor:CONTINUOUS FILM OF SILICONE RUBBER ON "FIBERGLAS"  
BRAID. NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:CON

DITIONS ABOVE 250C WITHOUT ADEQUATE  
VENTILATION.

Hazardous Decomposition Products:METHYL AND PHENYL BY PRODUCTS.

Conditions to Avoid Polymerization:TEMPERATURES IN EXCESS OF 240C.

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL IS PREFERRED, BUT DISPOSAL METHODS MUST  
CONFORM TO FEDERAL, STATE AND LOCAL REGULATIONS. BURNING NOT  
RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):

This information i

s formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.