View NSN Online: https://aerobasegroup.gr/nsn/6750-01-313-1954

ILFORD PHOTO CORP -- P-22 BLEACH BL22.15 PART A -- 6750-01-313-1954

Product ID:P-22 BLEACH BL22.15 PART A MSDS Date:11/03/1989 FSC:6750 NIIN:01-313-1954 Kit Part:Y MSDS Number: BMDXS === Responsible Party === Company Name: ILFORD PHOTO CORP Address:70 W CENTURY RD City:PARAMUS State:NJ ZIP:07653 Country:US Info Phone Num:201-265-6000 Emergency Phone Num:800-842-96 60 CAGE:64145 === Contractor Identification === Company Name: ILFORD PHOTO CORP Address:W 70 CENTURY RD Box:City:PARAMUS State:NJ ZIP:07653 Country:US Phone:201-265-6000 CAGE:64145 Ingred Name:SULFURIC ACID (SARA III) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: 15-18% Other REC Limits:NONE SPECIFIED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name:SODIUM NITRO BENZENE SULFONA

TE CAS:127-68-4 RTECS #:DB7195000 Fraction by Wt: 2-4% Other REC Limits:NONE SPECIFIED

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 75-85% Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:LD50 155 MG/KG
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: CAUSES IRREVERSIBLE EYE DAMAGE OR BLINDNESS, BURNS
TO SKIN, MUCOUS MEMBRANE, IF INGESTED, CAUSES
DENTAL EROSION, BURNS TO THE MOUTH, THROAT, ESOPHAGUS AND STOMACH. CHRONIC: MIST OR VAPOR CAUSES BRONCHITIS, FREQUENT RESPIRATORY INFECTIONS, EMPHYSEMA.
Effects of Overexposure:COUGHING, SNEEZING, IRRITATION TO UPPER RESPIRATORY TRACT.
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH SKIN DISORDER OR PREVIOUS HISTORY OF UPPER RESPIRATORY PROBLEMS MAY BE AT HIGHER

RISK OF INFECTIONS.MAY CAUSE EMPHYSEMA AND PULMONARY EDEMA.

First Aid:INHALATION:REMOVE TO FRESH AIR GIVE OXYGEN, PERFORM CPR IF NOT BREATHING. EYES: FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IMMEDIATELY. SKIN: FLUSH SKIN WITH WATER TH EN WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ATTENTION INGESTION: GIVE 4 OR 5 GLASSES OF EITHER MILK OR WATER, DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION AT ONCE.

===

Flash Point:NONE SPECIFIED .

Extinguishing Media:NON-FLAMABLE. USE EXTINGUSHING MEDIA PROPER TO PRIMARY SOURCE OF FIRE

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: MAY PRODUCE TOXIC FUMES. ACTS AS AN OXIDIZER.

======= Accidental Release Measures =======

Spill Release Procedures:NEUTRALIZE WITH SODIUM CARBONATE OR BAKING SODA, RINSE NEUTRALIZED SOLUTION TO SEWER IF PERMITED BY STATE ,FEDERAL AND LOCAL AUTHORITIES. Neutralizing Agent:SODIUM CARBONATE OR BAKING SODA.

Handling and Storage Precautions:STORE IN A DRY COOL PLACE AWAY FROM ALKALIES. AVOID ANY PHYSICAL DAMAGE TO CONTAINER. Other Precautions:HANDLE WITH CARE.

======== Exposure Controls/P

ersonal Protection =========

Respiratory Protection:ACID GAS RESPIRATOR Ventilation:LOCAL EXHAUST TO KEEP BELOW TLV. Protective Gloves:BUTYL RUBBER Eye Protection:SAFETY GOGGLES. Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:WASH HANDS THOROUHLY BEFORE EATING, DRINKING OR SMOKING. Supplemental Safety and Health KEY1:C1. THIS IS A PART OF A 4 PART KIT. THIS PRODUCT CONTAINS A HAZARDOUS CHEMICAL (SULFURIC ACID) SUBJECT TO THE REPORTING REQUIRE

MENTS OF SEC. 313 OF TITLE 111 OF THE SUPERFUND AMENDMENTS AND REAUT HORIZATION ACT OF 1986 AND 40 CFR PART 322.

HCC:C1 Boiling Pt:B.P. Text:>212F,>100C Spec Gravity:1.13 pH: