View NSN Online: https://aerobasegroup.gr/nsn/6850-01-263-8231

Product ID:FP-95A(M) FLUORESCENT PENETRANT MSDS Date:03/15/1989 FSC:6850 NIIN:01-263-8231 Kit Part:Y MSDS Number: BMSSF === Responsible Party === Company Name:MET-L-CHEK COMPANY Address:1639 EUCLID ST **City:SANTA MONICA** State:CA ZIP:90404-3770 Country:US Info Phone Num:213-450-1111 Emergency Phone Num:213-450-1111 CAGE:98733 === Contractor Identification === Company Name:MET-L-CHEK COMPANY Address:1639 EUCLID ST Box:00000 **City:SANTA MONICA** State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 CAGE:98733

Ingred Name:HYDROTREATED MIDDLE PETROLEUM DISTILLATE CAS:64742-46-7 RTECS #:JN9379645 Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST)

======= На

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYE CONTACT -- PRESUMED NON-IRRITATING. SKIN CONTACT--SLIGHTLY IRRITATING, INHALATION--VAPORS OR OIL MIST MAY CAUSE MILD IRRITATION OF UPPER RESPIRATORY TRACT. INGESTION--ASPIRATION MUST BE AVOIDED. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR G REATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure: SKIN CONTACT--IRRITATION. INGESTION--POSSIBLE VOMITING. Medical Cond Aggravated by Exposure: PRE-EXISTING SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. First Aid:EYE CONTACT -- FLUSH WITH WATER. SKIN CONTACT -- FLUSH WITH WATER, WASH WITH SOAP AND WATER. INHALATION--REMOVE TO FRESH AIR, PROVIDE OXYGEN IF BREATHING IS DIFFICULT. INGESTION--DO NOT INDUCE VOMITING. G ET MEDICAL ATTENTION. Flash Point Method:COC Flash Point:210F,99C Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. DO NOT USE DIRECT STREAM OF WATER. Fire Fighting Procedures: MATERIAL WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR, INCLUDING A POSITIVE PRESSURE NIOSH-APPROVED SCBA. U nusual Fire/Explosion Hazard:NONE Spill Release Procedures: SOAK UP WITH ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS FOR OIL RESIDUE. Handling and Storage Precautions: KEEP AWAY FROM HEAT, OPEN FLAMES AND **OXIDIZING MATERIALS. Other Precautions:NONE** 

====== Expos

ure Controls/Personal Protection =========

Respiratory Protection: IF EXPOSURE EXCEEDS TLV, USE NIOSH/MSHA APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. Ventilation: LOCAL AND MECHANICAL (GENERAL) EXHAUST TO MAINTAIN TLV. Protective Gloves: CHEMICAL RESISTANT GLOVES Eye Protection: NO SPECIAL PROTECTION REQUIRED Other Protective Equipment: AS REQUIRED TO MINIMIZE SKIN CONTACT. Work Hygienic Practices: WASH WITH SOAP & WATER BEFORE EATING, DRINKING OR SMOKING. MINIMIZE SKIN CONTACT. Supplem ental Safety and Health

INSPECTION PENETRANT KIT: CONTAINS 5 GAL CAN PENETRANT AND 5 GAL CAN EMULSIFIER. EMULSUFIER REQUIRES DILUTION BEFORE USE.

HCC:N1 Boiling Pt:B.P. Text:>400F,>204C Melt/Freeze Pt:M.P/F.P Text:-75F,-59C Spec Gravity: 0.86 Solubility in Water:INSOLUBLE. Appearance and Odor:YELLOW-GREEN LIQUID. SLIGHT HYDROCARBON ODOR.

Stability Indic ator/Materials to Avoid:YES OXIDIZING MATERIALS. Stability Condition to Avoid:HEAT, OPEN FLAMES. Hazardous Decomposition Products:CAN PRODUCE CARBON MONOXIDE AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS.

Waste Disposal Methods:PLACE IN APPROPIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by element

## s of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.