

TABCO C D PRODUCTS INC -- CORROSION REMOVING COMPOUND -- 6850-00-174-9672

=====  
Product Identification  
=====

Product ID:CORROSION REMOVING COMPOUND

MSDS Date:05/14/1992

FSC:6850

NIIN:00-174-9672

MSDS Number: BMZQX

=== Responsible Party ===

Company Name:TABCO C D PRODUCTS INC

Address:940 W 100 S

City:SALT LAKE CITY

State:UT

ZIP:84104

Country:US

Info Phone Num:801-595-0119

Emergency Phone Num:801-59

5-0119

CAGE:67281

=== Contractor Identification ===

Company Name:TABCO C D PRODUCTS INC

Address:940 W 100 S

Box:City:SALT LAKE CITY

State:UT

ZIP:84104

Country:US

Phone:801-595-0119

CAGE:67281

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PHOSPHORIC ACID (SARA III)

CAS:7664-38-2

RTECS #:TB6300000

Fraction by Wt: 20-25%

Other REC Limits:NONE SPECIFIED

OSHA PEL:1 MG/M3/3 STEL

ACGIH TLV:1 MG/M3/3 STEL; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:

2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

Other REC Limits:NONE SPECIFIED

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION IF INHALED OR THROUGH ABSORPTION BY SKIN. MAY BE HARMFUL IF SWALLOWED. MAY DAMAGE EYES ON CONTACT. MAY IRRITATE SKIN

ON CONTACT. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALED: DIZZINESS, HEADACHE, NAUSEA. EYES: BLURRED VISION, TEARING, REDNESS, PAIN OR DISCOMFORT. SKIN: DISCOMFORT, REDNESS, ITCHING, DIZZINESS, NAUSEA, HEADACHE. INGESTED: NAUSEA, VOMITING.

Medical Condition Aggravated by Exposure:PRE-EXISTING RESPIRATORY, KIDNEY OR

LIVER DISORDERS MAY BE AGGRAVATED BY EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:INHALED: REMOVE PERSON TO FRESH AIR. RESUSCITATE IF NEEDED.

EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTED: DRINK LARGE AMOUNT OF MILK OR WATER. SEE DOCTOR. DO NOT INDUCE VOMITING.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>150F

,>66C

Lower Limits:1.1%

Upper Limits:10.6%

Extinguishing Media:WATER FOG, FOAM, CARBON DIOXIDE

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION EMITS TOXIC FUMES OF OXIDES OF PHOSPHOROUS. CONTACT WITH REACTIVE-METALS PRODUCES EXPLOSIVE HYDROGEN-AIR MIXTURES.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. ABSORB WITH INERT MATERIAL

L AND

PLACE IN A CONTAINER FOR LATER DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:AVOID STORAGE IN FREEZING CONDITIONS.

WEAR PROPER PROTECTIVE CLOTHING WHEN HANDLING.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF SPRAYED IN A CONFINED SPACE USE NIOSH/MSHA  
APPROVED RESP

IRATOR WITH ACID MIST CARTRIDGE. USE IN ACCORDANCE  
WITH 29 CFR 1910.134.

Ventilation:LOCAL EXHAUST IS RECOMMENDED IF MATERIAL IS SPRAYED.

Protective Gloves:PVC OR NEOPRENE

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER. CLOTHING  
TO PREVENT PROLONGED OR REPEATED CONTACT TO INCLUDE APRON.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,  
DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHES BEFORE REUSE.

Supp

lemental Safety and Health

AVOID OVEREXPOSURE.

=====  
===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:200F,93C

Vapor Pres:0.88 MM HG

Vapor Density:4.1

Spec Gravity:1.32

Solubility in Water:COMPLETE

Appearance and Odor:WATER WHITE LIQUID WITH GLYCOL ODOR

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ALKALIS AND STRONG OXIDIZING AGENTS

Stability Condition to Avoid:CONTACT WITH INCO

MPATIBLES

Hazardous Decomposition Products:OXIDES OF PHOSPHOROUS AND CARBON

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.