

DU PONT E I DE NEMOURS & CO POLYMER PRODUCTS DEPT -- SPECIALTY ELECTRIC  
DETONATORS,SQUIBS -- 4210-01-297-5283

===== Product Identification =====

Product ID:SPECIALTY ELECTRIC DETONATORS,SQUIBS

MSDS Date:11/03/1985

FSC:4210

NIIN:01-297-5283

MSDS Number: BNVDW

=== Responsible Party ===

Company Name:DU PONT E I DE NEMOURS & CO POLYMER PRODUCTS DEPT

Address:BARLEY PLZ

City:WILMINGTON

State:DE

ZIP:1989

8

Country:US

Info Phone Num:800-441-7515/302-774-3120

Emergency Phone Num:800-441-3637/800-424-9300(CHEMTREC)

CAGE:57280

=== Contractor Identification ===

Company Name:DU PONT E I DE NEMOURS & CO POLYMER PRODUCTS DEPT

Address:BARLEY PLZ

Box:City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:800-441-7515

CAGE:57280

Company Name:JAY AUTOMOTIVE SPECIALTIES INC

Address:701 NORTH ST

Box:City:BERLIN

State:PA

ZIP:15530

Country:US

Phone:814-267-4151

CAGE:1AV08

Company Name:LANDOL CORP

Address:1700 MAYS

ST  
Box:111  
City:MARYSVILLE  
State:KS  
ZIP:66508-1265  
Country:US  
Phone:913-562-5381  
CAGE:65459

===== Composition/Information on Ingredients =====

Ingred Name:LEAD DINITROORTHOCRESYLATE  
CAS:79357-62-3  
Other REC Limits:NONE SPECIFIED

Ingred Name:POTASSIUM PERCHLORATE  
CAS:7778-74-7  
RTECS #:SC9700000  
Other REC Limits:NONE SPECIFIED

Ingred Name:BARIUM PEROXIDE  
CAS:1304-29-6  
RTECS #:CR0175000  
Other REC Limits:NONE SPECIFIED

Ingred Name:SMOKELESS POWDER  
Other REC Limits:NONE SPECIFIED  
OSH PEL:NOT ESTABLISHED.  
ACGIH TLV:NOT ESTABLISHED.

Ingred Name:BLACK POWDER  
Other REC Limits:NONE SPECIFIED  
OSH PEL:NOT ESTABLISHED.  
ACGIH TLV:NOT ESTABLISHED.

Ingred Name:BASIC LEAD PHOSPHITE  
CAS:12141-20-7  
Other REC Limits:NONE SPECIFIED

Ingred Name:BORON  
CAS:7440-42-8  
RTECS #:ED7350000  
Other REC Limits:NONE SPECIFIED

Ingred Name:MAGNESIUM  
CAS:7439-95-4  
RTECS #:OM2100000  
Other REC Limits:NONE SPECIFIED

Ingred Name:SELENIUM (SARA III)  
CAS:7782-49-2  
RTECS #:VS7700000  
Other REC Limit

s:NONE SPECIFIED  
OSHA PEL:0.2 MG/M3  
ACGIH TLV:0.2 MG/M3; 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:ALUMINUM (SARA III)  
CAS:7429-90-5  
RTECS #:BD0330000  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:15MG/M3 DUST/5 FUME  
ACGIH TLV:10MG/M3 DUST; 9192

Ingred Name:BRONZE, COMMERCIAL  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:NOT ESTABLISHED.  
ACGIH TLV:NOT ESTABLISHED.

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Repo

Tests of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-PRODUCTS DO NOT PRESENT HEALTH  
HAZARDS IN NORMAL HANDLING & USE.HOWEVER,DECOMPOSITION MAY CAUSE  
SEVERE INJURY & DEATH.OVEREXPOSURE TO LEAD MAY CAUSE ADVERSE  
EFFECTS TO BLOOD FORMING,NERVOUS,URINARY,REPRODUCTIVE SYSTEMS  
CAUSING ANEMIA& FATIGUE.NITROGEN OXIDES MAY IRRITATE EYE,SKIN &  
LUNGS.CHRONIC-NONE KNOWN.

Explanation of Carcinogenicity:NONE OF THE COMPONENT(S) OF THIS  
MATERIAL IS LI

STED AS A CARCINOGEN BY NTP,IARC OR OSHA (PER MSDS).

Effects of Overexposure:PRODUCTS DO NOT PRESENT HEALTH HAZARDS IN  
NORMAL HANDLING & USE. HOWEVER, DECOMPOSITION MAY CAUSE SEVERE  
INJURY & DEATH. OVEREXPOSURE TO LEAD MAY CAUSE ADVERSE EFFECTS TO  
BLOOD FORMING, NERVOUS, URINARY, REPRODUCTIVE SYSTEMS CAUSING  
ANEMIA& FATIGUE. NITROGEN OXIDES MAY IRRITATE EYE, SKIN AND  
RESPIRATORY TRACT.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

es =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN: WASH WITH SOAP & WATER. EYE: FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED: REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL: NOT LIKELY.

===== Fire Fighting Measures =====

Extinguishing Media:NONE

Fire Fighting Procedures:DO NOT FIGHT FIRE. ISOLATE AREA. EVACUATE PERSONNEL TO A SAFE AREA. GUARD AGAINST INTRUDERS. PRODUCES SHRAP NEL.

Unusual Fire/Explosion Hazard:DETONATES WHEN EXPOSED TO HEAT OR FLAME. PRODUCES SHRAPNEL. HAZARDOUS GASES PRODUCED IN FIRE INCLUDE LEAD FUMES, NITROGEN OXIDES AND COMPOUNDS OF B AND SE.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROTECTIVE EQUIPMENT. REMOVE SOURCES OF FRICTION, IMPACT, HEAT, LOW LEVEL ELECTRICAL CURRENT, ELECTROSTATIC OR RF ENERGY. REFER TO MANUFACTURER'S "DO'S AND DON'TS" INSTRUCTIONS AND WARNINGS SUPPLI ED WITH EACH PRODUCT SHIPMENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE-REFER TO MANUFACTURER'S "DO'S AND DON'TS" INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.

Other Precautions:OCCUPATIONAL EXPOSURE TO LEAD IS REGULATED BY SECTION 1910, PART 1025, CFR TITLE 29.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TOXIC GASES PRESENT, WEAR NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS.

Ventilation:ADEQUATE TO MAINTAIN LEVEL BELOW TLV.

Protective Gloves:RECOMMENDED

Eye Protection:SAFETY GLASSES

Other Protective Equipment:COTTON SOCKS, CONDUCTIVE SOLED SHOES, CONDUCTIVE SURFACES, EYEWASH STATION, EMERGENCY SHOWER

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:E2

Appearance and

Odor:ALUMINUM OR COMMERCIAL BRONZE SHELLS WITH ATTACHED  
INSULATED COPPER LEG WIRES.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

ACIDS, ALKALIES

Stability Condition to Avoid:DETONATES WITH FRICTION, IMPACT, HEAT, LOW  
LEVEL ELECTRICAL CURRENT, ELECTROSTATIC OR RF ENERGY

Hazardous Decomposition Products:DETONATES. PRODUCES SHRAPNEL.

HAZARDOUS GASES MAY INCLUDE LEAD FUMES, NITROGEN OXIDES AND  
COMPOUNDS OF B AND SE.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT AN EXPLOSIVES MANUFACTURER'S RECOMMENDED  
METHODS OF DESTROYING EXPLOSIVE MATERIALS. COMPLY WITH APPLICABLE  
FEDERAL REGULATIONS UNDER THE AUTHORITY OF THE RESOURCE  
CONSERVATION AND RECOVERY ACT (40 CFR, PARTS 260-271).

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United S

tates of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.