ILFORD PHOTO CORP -- P-22 DEVELOPER DE 22.15 PART B -- 6750-01-313-1956

Product ID:P-22 DEVELOPER DE 22.15 PART B MSDS Date:10/31/1988 FSC:6750 NIIN:01-313-1956 Kit Part:Y MSDS Number: BPCFV === Responsible Party === Company Name: ILFORD PHOTO CORP Address:33 LEWIS RD City:BINGHAMPTON State:NY ZIP:13905 Country:US Info Phone Num:800-421-1100/201-265-6000 Emergency Phone Num:800-842-9660 CAGE:0LT87 === Contractor Identification === Company Name: ILFORD IMAGING USA INC Address:33 LEWIS RD Box:City:BINGHAMTON State:NY ZIP:13905 Country:US Phone:607-766-3153/ FAX 201-225-3514 CAGE:0LT87 

Ingred Name:DIETHYLENE GLYCOL MONOETHYL ETHER CAS:111-90-0 RTECS #:KK8750000 Fraction by Wt: 45 - 50% Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROQUINONE (SARA III) CAS:123-31-9 RTECS #:MX3500000 F raction by Wt: 12 - 15% Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9293 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name: 4-METHYL-1-PHENYL-3-PYRAZOLIDONE CAS:2654-57-1 Fraction by Wt: 2 - 4% Other REC Limits:NONE RECOMMENDED Ingred Name: BENZOTRIAZOLE CAS:95-14-7 RTECS #:DM1225000 Fraction by Wt: 212F,>100C Extinguishing Media:WATER SPRAY, CO2, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL & FLUSH SPILLS AWAY. Fire Fighting Proce dures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard: MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

Spill Release Procedures:TAKE UP EXCESS LIQUID WITH ABSORBENT (CHARCOAL, SAWDUST, SAND). SWEEP UP AND CONTAIN FOR DISPOSAL. FLUSH AREA THOROUGHLY AND DRAIN INTO SEWER IF PERMITTED BY L OCAL, STATE

OR FEDERAL REGULATIONS.

Handling and Storage Precautions:STORAGE- STORE IN COOL PLACE. KEEP CONTAINER TIGHTLY CLOSED AND AWAY FROM OXIDIZERS.
Other Precautions:AVOID BREATHING VAPORS OR MISTS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. KEEP OUT OF REACH OF C HILDREN.

======= Exposure Con

trols/Personal Protection ========

Respiratory Protection: USE NIOSH ACID GAS/ORGANIC VAPOR RESPIRATOR IF NEEDED.

Ventilation: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves: RUBBER OR PLASTIC RECOMMENDED

Eye Protection:SAFETY GLASSES

Other Protective Equipment: EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

THIS PRODUCT IS A KIT CONSISTING OF: DEVELOPER PART A AND PART B (PIN A AND B); FIXER PART A AND B (PIN C AND D); BLEACH PART A AND B (PIN E AND F); AND BLEACH NEUTRALIZER PART A AND B (PIN G AND H).

HCC:N1 Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:AS WATER Vapor Density:AS WATER Spec Gravity:1.057 pH: