View NSN Online: https://aerobasegroup.com/nsn/9150-01-313-2191

AMOCO OIL COMPANY -- AMOCO MULTI-PURPOSE GEAR LUBRICANT 80W-90 -- 9150-01-313-2191

========= Product Identification ============

Product ID:AMOCO MULTI-PURPOSE GEAR LUBRICANT 80W-90

MSDS Date:08/15/1986

FSC:9150

NIIN:01-313-2191

MSDS Number: BPFML === Responsible Party ===

Company Name: AMOCO OIL COMPANY Address: 200 EAST RANDOLPH DRIVE

City:CHICAGO

State:IL

ZIP:60601-6401 Country:US

Info Phone Num:312-856-39

07

Emergency Phone Num:800-447-8735 Preparer's Name:STEPHEN A. ELBERT

CAGE:15958

=== Contractor Identification ===

Company Name: AMOCO CHEMICALS CORP Address: 200 E RANDOLPH DR MC 4001

Box:City:CHICAGO

State:IL

ZIP:60601-6401 Country:US

CAGE:15965

Company Name: AMOCO OIL CO Address: 200 E RANDOLPH DR

Box:City:CHICAGO

State:IL

ZIP:60601-6401

Country:US

Phone:312-856-3907- EM HLTH: 800 447-8735

CAGE:15958

======= Composition/Information on Ingredients ========

Ingred Name: MINERAL OIL, P

ETROLEUM DISTILLATES, SOLVENT-REFINED HEAVY PARAFFINIC CAS:64741-88-4 RTECS #:PY8040500 OSHA PEL:5 MG/CUM ACGIH TLV:5 MG/CUM
Ingred Name:SOLVENT-REFINED RESIDUUM CAS:64742-01-4
======================================
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE EXPECTED ON SHORT TERM EXPOSURE. BUT MAY CAUSE EYES AND SKIN IRRITATION. REPEATED AND PROLONGED
CONTACT MAY IRRITATE SKIN. Explanation of Carcinogenicity:NONE Effects of Overexposure:EYES AND SKIN: UPON CONTACT MAY CAUSE IRRITATION. REPEATED AND PROLONGED CONTACT MAY IRRITATE SKIN. INHALATION: SPRAY MIST MAY CAUSE RESPIRATORY IRRITATION,COUGHING AND DIFFICULTIY IN BREATHING. INGES TION: MAY CAUSE GASTROINTESTINAL TRACT IRRITATION AND UPSET OF STOMACH. Medical Cond Aggravated by Exposure:THERE IS NO KNOWN MEDICAL CONDITIONS ABNORMALLY AGGRAVATED BY EXPOSURE THIS PRODUC T.
======================================
First Aid:EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. REMOVE ANY CONTAMINATED CLOTHING. IF IRRITATION DEVELOPS SEEK MEDICAL AID. INGESTION: IF SWALLOWED, INDUCE VOMITING. CALL PHYSICIAN OR POISON CONTROL CENTER. INHALATION: IF INHALED, REMOVE TO FRESH AIR. GIVE CPR IF NEEDED OR CALL MEDICAL HELP.
== ========= Fire Fighting Measures ====================================
Flash Point Method:COC Flash Point:324F,162C Extinguishing Media:AGENTS APPROVED FOR CLASS B HAZARD. DRY CHEMICAL, CO2, HALGOENATED AGENTS, FOAM, STEAM, & WATER FOG. Fire Fighting Procedures:USE APPROPRIATE PROCEDURES FOR FIRES INVOLVING OILS. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:CONTAIN ON AN ABSORBENT MATERIAL SUCH AS SAND,

SAWDUST, DIRT, OR CLAY. KEEP OUT OF SEWERS & WATERWAYS.
======================================
Handling and Storage Precautions:AVOID THE POSSIBILITY OF LUBRICANT OR LUBRICATED PART CONTACTING EDIBLE PRODUCTS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE REQUIRED Ventilation:USE ADEQUATE VENTILATION Protective Gloves:RECOMMENDED Eye Protection:RECOMMENDED Work Hygienic Practices:USE GOOD INDUSTRIAL PRACTICE.
Supplemental Safety and Health
======================================
HCC:V6 Spec Gravity:0.89 Viscosity:75-80SUS@210F Solubility in Water:NEGLIGIBLE,