INDUSTRIAL MUNICIPAL EQUIPMENT, INC. -- #6173 STANDARD COLOR REAGENT 6810-01-362-8616 Product ID:#6173 STANDARD COLOR REAGENT MSDS Date:01/01/1990 FSC:6810 NIIN:01-362-8616 MSDS Number: BPHWY === Responsible Party === Company Name: INDUSTRIAL MUNICIPAL EQUIPMENT, INC. Address:132 WILBUR PLACE City:BOHEMIA State:NY ZIP:11716 Country:US Info Phone Num:516-567-90 00 Emergency Phone Num:516-567-9000 CAGE:53390 === Contractor Identification === Company Name: INDUSTRIAL MUNICIPAL EQUIPMENT, INC. (FORMERLY BOHEMIA, NY) Address:1430 PROGRESS WAY SUITE 105 Box:City:SYKESVILLE State:MD ZIP:21784 Country:US Phone:410-795-0500; FAX:410-795-1373 CAGE:53390 Ingred Name: HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III) CAS:7647-01-0 RTECS #:MW4025000 Fraction by Wt: 3.75% Other REC Limits:NONE RECO MMENDED OSHA PEL:C 5 PPM ACGIH TLV:C 5 PPM; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name:COBALT CHLORIDE CAS:7791-13-1 RTECS #:GG0200000 Fraction by Wt: 0.1% Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1 MG/M3 (CO) ACGIH TLV:0.05 MG/M3 (CO) Ingred Name: POTASSIUM CHLOROPLATINATE CAS:16921-30-5 RTECS #:TP1650000 Fraction by Wt: 0.125% Other REC Limits:NONE RECOMMENDED

View NSN Online: https://aerobasegroup.com/nsn/6810-01-362-8616

gestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE SKIN IRRITATION ON CONTACT. Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure:RASH, ITCHING.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES: FLUSH WITH LOTS OF WATER FOR 15 M INUTES WHILE HOLDING

EYELIDS OPEN. SEE DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. FLUSH WITH WATER, THEN WASH WITH SOAP AND WATER. INHALED: REMOVE PERSON TO FRES H AIR. GIVE RESPIRATORY SUPPORT IF NEEDED. INGESTED: DO NOT INDUCE VOMITING. IF CONSCIUOS, GIVE MILK OR WATER TO DILUTE. GET IMMEDIATE MEDICAL ATTENTION.

Flash Point:NON-FLAMMABLE Extinguishing Media:DRY CHEMICAL Fire Fighting Procedures:WEAR SELF -CONTAINED BREATHING APPARATUS AND BUNKER GEAR. Unusual Fire/Explosion Hazard:REACTS WITH METALS TO FORM HYDROGEN GAS WHICH CAN FORM EXPLOSIVE MIXTURES WITH AIR.

Spill Release Procedures:NEUTRALIZE WITH SODA ASH, ABSORB WITH SAND OR VERMICULITE AND SCOOP UP AND PLACE IN A CONTAINER FOR PROPER DISPOSAL.

Neutralizing Agent:SODA ASH

Handling and

Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, DRY, WELL-VENTILATED PLACE. STORE AWAY FROM INCOMPATIBLES. KEEP AWAY FROM SOURCES OF IGNITION. Other Precautions: EMPTY CONTAINERS MAY BE HAZARDOUS DUE TO RETAINED RESIDUE.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:WEAR SCBA IN AREAS OF EXTREMELY HIGH CONCENTRATION OR CONFINED AREAS. USE IN ACCORDANCE WITH 29 CFR 1910.134. Ventilation:USE ADEQUATE MECHANICAL VENTILATION. Protective Gloves:RUBBER OR PVC Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. HMIS: EYE WASH STATION & SAFETY SHOWER Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health

HCC:C3 pH: