

JET-LUBE INC -- V-2 (R) -- 8030-00-543-4384

=====
Product Identification
=====

Product ID:V-2 (R)
MSDS Date:01/24/1992
FSC:8030
NIIN:00-543-4384
MSDS Number: BPKWL
=== Responsible Party ===
Company Name:JET-LUBE INC
Address:4849 HOMESTEAD ROAD
Box:21258
City:HOUSTON
State:TX
ZIP:77226
Country:US
Info Phone Num:713-674-7617/713-370-6206(AFTER HR)
Emergency Phone Num:713-674-7617
Preparer's Name:DO
NALD A. OLDIGES
CAGE:0A307
=== Contractor Identification ===
Company Name:JET-LUBE INC
Address:4849 HOMESTEAD RD
Box:21258
City:HOUSTON
State:TX
ZIP:77026
Country:US
CAGE:0A307

=====
Composition/Information on Ingredients
=====

Ingred Name:GLYCOL ETHER DPM
CAS:34590-94-8
RTECS #:JM1575000
Fraction by Wt: 17% MAX
Other REC Limits:NONE SPECIFIED
OSHA PEL:100
ACGIH TLV:100

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Ski

n:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Explanation of Carcinogenicity:NO

Effects of Overexposure:MINOR EYE AND RESPIRATORY IRRITATION.

=====
===== First Aid Measures =====

First Aid:INHALATION: MOVE SUBJECT TO FRESH AIR. CONSULT PHYSICIAN.
INGESTION: IF INGESTED, CALL PHYSICIAN. EYES: FLUSH WITH WATER FOR
15 MINUTES. CONSULT PHYSICIAN. SKIN: WASH THOROUGHLY.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:SCC

Flash Point:234F,112C

Extinguishing Media:WATER, FOAM, CARBON DIOXIDE, DRY CHEMICAL VAPORING
LIQUID-TYPE EXTINGUISHING AGENTS.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
COMPLETE PERSONAL EQUIPMENT WHEN POTENTIAL FOR EXPOSURE TO VAPOR OR
PRODUCTS OF COMBUSTION EXISTS.

Unusual Fire/Explosion Hazard:SOLVENT VAPORS ARE COMBUSTIBLE AND
HEAVIER THAN AIR AND CAN TRAVEL LONG DISTANCES TO SOURCES OF
IGNITION AND FLASHBACK.

==

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH DIATOMACEOUS EARTH, WIPE WITH
WASTE RAGS, TO PREVENT FOOD HAZARD.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE NEAR HEAT, SPARKS, OR OPEN
FLAMES.

Other Precautions:AVOID EXCESSIVE INHALATION OF VAPOR AND EYE AND SKIN
CONTACT.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protec

tion:NIOSH APPROVED ORGANIC VAPOR CARTRIDGES OR
CANISTER RESPIRATOR.

Ventilation:CONVENTIONAL VENTILATION ADEQUATE.

Protective Gloves:NON-PERMEABLE

Eye Protection:SAFETY GLASSES

Work Hygienic Practices:AFTER HANDLING, WASH HANDS BEFORE EATING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:372F,189C

Vapor Pres:0.6

Vapor Density:>1.1 AIR=1

Spec Gravity:1.48 (WATER=1)

Evaporation Rate & Reference:0.02 (BU AC=1)

Sol

ubility in Water:SLIGHT

Appearance and Odor:WHITE VISCOUS PASTE, MILD KETONE-TYPE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXYGEN AND STRONG OXIDIZERS.

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAMES AROUND UNCURED
MATERIAL.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
EVOLVED ON BURNING OR THERMAL DECOMPOSITION.

===== Disposal Considerations =====

W

aste Disposal Methods:CONTROLLED INCINERATION OR BURY IN APPROVED
LANDFILL. CONSULT GOVERNMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent profession

al advice to verify and
assume responsibility for the suitability of this information to their
particular situation.