

PARK DAVIS DIV WARNER LAMBERT CO -- 0714475 DILATIN INJECTION, 50 MG/ML --
6505-01-332-9024

=====
===== Product Identification =====
=====

Product ID:0714475 DILATIN INJECTION, 50 MG/ML

MSDS Date:05/01/1991

FSC:6505

NIIN:01-332-9024

MSDS Number: BPPHY

=== Responsible Party ===

Company Name:PARK DAVIS DIV WARNER LAMBERT CO

Address:201 TABOR RD

City:MORRIS PLAINS

State:NJ

ZIP:07950-2614

Country:US

Info Phone Num:201-540-2000

Emergency Phone Num:201-540-2000

Preparer's Name:

ROY MUELLER

CAGE:EO180

=== Contractor Identification ===

Company Name:PARK DAVIS DIV WARNER LAMBERT CO

Address:201 TABOR RD

Box:City:MORRIS PLAINS

State:NJ

ZIP:07950-2614

Country:US

Phone:201-540-2000

CAGE:EO180

Company Name:PARK-DAVIS, DIV OF WARNER LAMBERT CO

Address:201 TABOR ROAD

Box:City:MORRIS PLAINS

State:NJ

ZIP:07950

Country:US

Phone:201-540-2000

CAGE:93874

Company Name:PARKE-DAVIS DIV OF WARNER-LAMBERT CO

Address:JOS CAMPAU AT THE RIVER

Box:City:DETROIT

State:MI

ZIP:48232

Country:US

CAG

E:91378
Company Name:WARNER-LAMBERT CO
Address:201 TABOR ROAD
Box:City:MORRIS PLAINS
State:NJ
ZIP:07950-2614
Country:US
Phone:201-540-2000
CAGE:82559

=====
Composition/Information on Ingredients
=====

Ingred Name:PHENYTOIN, USP (5,5-DIPHENYLHYDANTOIN)
CAS:57-41-0
RTECS #:MU1050000
Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHYL ALCOHOL (ETHANOL)
CAS:64-17-5
RTECS #:KQ6300000
Fraction by Wt: 10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9293

Ingred Name:PROPYLENE GLYCOL
CAS:57-55-6
RTECS #:TY2000000
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE MILD SKIN AND EYE IRRITATION
ON CONTACT. THERAPUTIC EFFECTS ARE: CENTRAL NERVOUS SYSTEM EFFECTS,
POSSIBLE BIRTH DEFECTS IF USED DURING PREGNANCY.

Explanation of Carcinogenic
ity:PHENYTOIN IS LISTED AS A CARCINOGEN.

Effects of Overexposure:SKIN: RASH, ITCHING, INFLAMMATION AT INJECTION
SITE. EYES: REDNESS, TEARING. THERAPUTIC: RAPID EYE MOVEMENT
(NYSTAGMUS), SLURRED SPEECH, DROWSINESS, DECREASED COORDINATION,
AND MENTAL CONFUSION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:INHALED: REMOVE TO FRESH AIR, GET MEDICAL HELP. EYES: FLUSH
WITH WATER FOR

15 MINUTES; GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER UNTIL RESIDUE IS GONE. INGESTED: DO NOT INDUCE VOMITING! GET IMMEDIATE MEDICAL HELP.

===== Fire Fighting Measures =====

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY
Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND BUNKER GEAR.
Unusual Fire/Explosion Hazard: COMBUSTIBLE LIQUID (CONTAINS LESS THAN 10% ETHYL ALCOHOL).

===== Accidental Release Measures =====

Spill Release Procedures: PREVENT EXPOSURE. WEAR PROPER PROTECTIVE CLOTHING AND EQUIPMENT. COLLECT SPILLED MATERIAL; PLACE WASTE IN A LABELED, SEALED CONTAINER FOR LATER DISPOSAL. WASH CONTAMINATED SURFACES WITH SOAP AND WATER.
Neutralizing Agent: 5% ACETIC ACID

===== Handling and Storage =====

Handling and Storage Precautions: STORE AS STATED IN MANUFACTURER'S PRODUCT LABEL.
Other Precautions: MATERIAL SHOULD BE HANDLED SO AS TO PREVENT CONTACT WITH SKIN AND EYES. USE HAND AND EYE PROTECTION WHEN USING THIS MATERIAL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER. NONE NORMALLY REQUIRED.
Ventilation: NONE SPECIFIED BY MANUFACTURER. NORMAL ROOM VENTILATION SHOULD BE ADEQUATE.
Protective Gloves: RUBBER OR PVC
Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES
Other Protective Equipment: EYE WASH STATION & SAFETY SHOWER
Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.
Supplemental Safety and Health
THERAPEUTIC CLASS: ANTICONVULSANT.

===== Physical/Chemical Properties =====

HCC: B3
Spec Gravity: 1.032
pH: >12.1
Appearance and Odor: CLEAR, COLORLESS, ODORLESS LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
NONE SPECIFIED

CIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. MATERIAL IS A CORROSIVE, DISPOSE OF ACCORDINGLY. MANUFACTURER RECOMMENDS INCINERATION IN A PERMITTED FACILITY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.