View NSN Online: https://aerobasegroup.gr/nsn/1315-00-370-3548 ICI AMERICAS FILMS DIV -- CHARGE A, PROPELLANT INCREMENT M90A1: MORTAR ______ MSDS Safety Information ______ FSC: 1315 NIIN: 00-370-3548 MSDS Date: 08/21/1991 MSDS Num: BPRGM Product ID: CHARGE A, PROPELLANT INCREMENT M90A1: MORTAR MFN: 01 Responsible Party Cage: 70657 Name: ICI AMERICAS INC FILMS DIV Address: NEW MURPHY RD AND CONCORD PIKE City: WILMINGTON DE 19897 Info Phone Number: 302-886-3000 (TECHNICAL) Emergency Phone Number: 800-327-8633 (MEDICAL) Proprietary Ind: Y Review Ind: Y Published: Y ______ Contractor Summary _____ Cage: 70657 Name: ICI AMERICAS INC FILMS DIV Address: NEW MURPHY RD AND CONCORD PIKE City: WILMINGTON DE 19897 Phone: UNKNOWN ______ Item Descr iption Information _____ Item Manager: B14 Item Name: CHARGE, PROPELLING, 81 MILLIMETER Unit of Issue: EA ______

UI Container Qty: Z

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50

Mixture: SEE INGREDIENT 1.

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: NITROGLYCERIN CAN CAUSE ALLERGIC CONTACT

DERMATITIS.HYPERTENSION,BLINDNESS,LIVER AND KIDNEY INJURY CAN RESULT AFTER

EXTREME NITROGLYCERIN EXPOSURE.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: HAZARDS ARE FOR NITROGLYCERIN. SKIN IRRITATION, HEADACHE, DECREASED BLOOD PRESSURE & AT HIGH EXPOSURE METH

EMOGLOBIN FORMATION. BLOOD CONC OF 15-25% METHEMOGLOBIN CAUSES CYANOSIS, EUPHORIA, HEADACHE, L IGHT-HEADEDNESS, ATAXIA, WEAKNESS, RAPID HEARTBEAT, LABORED BREATHING, NAUSEA, VOMITING, MENTAL CONFUSION.

Medical Cond Aggravated By Exposure: ANEMIA AND GLAUCOMA MAY BE AGGRAVATED BY EXTREME OVEREXPOSURE TO NITROGLYCERIN.

First Aid: EYES:IMMED FLUSH W/ H*2O.REMOVE CONT LENSES, CONTINUE FLUSHING FOR AT LEAST 15 MIN.SYMP DEVELOP:GET MED ATTN. SKIN:WASH SKIN/HAIR/NAILS W/ LOTS OF SOAP & SOAP & Amp; H*2

O.REMOVE CONTAM CLTHG/SHOES.GET MED ATTN. IN GEST:DRINK 1-2 GLASSES H*2O.GET MED ATTN.GIVE NOTHING BY MOUTH IF UNCON. INHAL:MOVE TO FRESH AIR.SYMP DEVELOP:GET MED ATTN.MD NOTE:USE SUPPORTIVE MEASURES-BED REST & CONTROL OF CONTROL O

Handling and Disposal

Spill Release Procedures: IF BAG OPEN:ELIM ALL IGNIT SOURCES.VENTILATE AREA.WEAR SKIN PROT DURING CLEANUP.CLE

AN UP IMMED USING SOFT BRISTLED BRUSH

& amp; CONDUCTIVE RUBBER OR PLASTIC SHOVEL. USE EXTREME CAUTION-MATERIAL IS SENSITIVE TO FRICTION, IMPACT & amp; ELECTROSTATIC DISCHARGE.

Neutralizing Agent: NOT KNOWN

Waste Disposal Methods: DISP IAW FED,STATE,& LOCAL REG.COORDINATE W/SUPPORTING INSTALLATION/MACOM ENVIRON OFFICE BEFORE DISP (FP A).EMPTY CONTR MAY RETAIN RESIDUE.OBSERVE ALL PRECAUTIONS.USE EMPTY CONTR ONLY FOR ORIGINAL PRODUCT.DISP EMPTY CLOTH BAGS/CONTRS IAW ARMY REGS.

Handling

And Storage Precautions: EXPLOSIVE, UNSTABLE, FLAMMABLE SOLID. FOLLOW ARMY REGS FOR HANDLING & amp; STORAGE. OPEN CONTRS IN WELL-VENT AREA, ALLOW ACCUM VAPORS TO ESCAPE PRIOR TO HNDLG.

Other Precautions: PREVENT SKIN CONTACT WITH BAG CONTENTS.AVOID BREATHING DUSTS.

Fire and Explosion Hazard Information

Extinguishing Media: DELUGE WITH WATER.ALL MATERIAL MAY BE CONSUMED BEFORE FIRE

EXTINGUISHED UNLESS LARGE QTIES OF WATER USED VERY QUICKLY.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS (SCBA) AND FULL TURNOUT GEAR (FP A). EVACUATE THE AREA.

Unusual Fire/Explosion Hazard: EXPLOSIVE TEMPERATURE:500F,260C (5 SECONDS).EASILY IGNITED, HIGHLY COMBUSTIBLE EXPLOSIVE.

Control Measures

Respiratory Protection: MSHA-NIOSH APPROVED POSITIVE PRESSURE AIR

-SUPPLIED

RESPIRATOR PROVIDES THE BEST PROTECTION.

Ventilation: USE LOCAL EXHAUST IF NEEDED TO KEEP EXPOSURES TO A MINIMUM.

Protective Gloves: IMPERVIOUS

Eye Protection: CHEMICAL SAFETY GOGGLES (FP A).

Other Protective Equipment: IMPERVIOUS COVERALLS & APRON.EYEWASH FACILITIES AS

NEEDED.

Work Hygienic Practices: WASH CONTAM CLTHG & DECONTAMINATE SHOES BEFORE REUSE.SHOWER THOROUGHLY AT END OF WORK SHIFT.WASH WORK CLOTHES DAILY.

Supplemental Safety and Health: TRADE NAME:CARTRIDGE 81MM.PART

NO:9233369.SPEC

GRAV:1.69 (PROPELLENT M9).FIRST AID PROC:DO NOT ADMINISTER ALCOHOL IN ANY FORM.IF CYANOSIS IS SEVERE,MAY BE HELPFUL TO ADMINISTER 1% METHYLENE BLUE,1-2 M G/KG BODY WT OVER 5-MIN INTERVALS.REPEAT AFTER 1 HOUR IF NEC,DO NOT EXCEED 7 MG/KG TOTAL DOSE.

Physical/Chemical Properties

M.P/F.P Text: NOT KNOWN Decomp Text: NOT KNOWN Vapor Pres: SEE ING 1

Vapor Density: S

EE ING 1 Spec Gravity: SEE SUPP Evaporation Rate & Evaporation R Solubility in Water: NEGLIGIBLE Appearance and Odor: SEWN CLOTH BAGS CONTAINING PROPELLENT. Percent Volatiles by Volume: NEGLIG _____ Reactivity Data Stability Indicator: YES Stability Condition To Avoid: STABLE UNDER NORMAL CONDITIONS. Materials To Avoid: ACIDS AND BASES. Hazardous Decomposition Products: COMBUSTIO N PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE, NITROGEN OXIDES. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: WILL NOT OCCUR. _____ Toxicological Information _____ _____ **Ecological Information** _____ -----MSDS Transport In formation ______ Regulatory Information ______ ______ Other Information ______ ______ HAZCOM Label ______ Product ID: CHARGE A, PROPELLANT INCREMEN T M90A1:MORTAR Cage: 70657 Company Name: ICI AMERICAS INC FILMS DIV Street: NEW MURPHY RD AND CONCORD PIKE City: WILMINGTON DE Zipcode: 19897 Health Emergency Phone: 800-327-8633 (MEDICAL) Label Required IND: Y Date Of Label Review: 04/29/1992 Status Code: C MFG Label NO: NOT KNOWN Label Date: 04/29/1992 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: DANGER Respiratory Protection IND: YES Health Hazard: Slight

Reactivi

Contact Hazard: Slight Fire Hazard: Severe

ty Hazard: None

Hazard And Precautions: EASILY IGNITED, HIGHLY COMBUSTIBLE EXPLOSIVE. MATERIAL IS SENSITIVE TO FRICTION, IMPACT AND ELECTROSTATIC DISCHARGE. KEEP AWAY FROM HEAT, SPARKS, AND FLAME. NO HEALTH HAZARDS EXPECTED WITH GOOD INDUSTRIAL HYGIENE HOWEVER OPEN BAG WITH EXPOSURE TO NITROGLYCERIN RESULTS IN THE FOLLOWING EFFECTS. SKIN: IRRITATION. SKIN

ABSORPTION/INGESTION/INHALATION:HEADACHE,METHEMOGLOBIN FORMATION WITH CYANOSIS,LIGHT-HEADE DNESS,RAPID HEARTBEAT,LABORED BREATHING,NAUS

EA, VOMITING, MENTAL CONFUSION. CHRONIC: EXTREME EXPOSURE TO NITROGLYCERIN CAN CAUSE ALLERGIC CONTACT DERMATITIS, HYPERTENSION, BLINDNESS, LIVER AND KIDNEY INJURY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to

have any application, use or

viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their parti

cular situation regardless of similarity to a corresponding Department of Defense or other government situation.