

VIRGINIA KMP CORP -- L355, REFRIGERATION OIL 150 & 300 -- 9150-00-973-9501

=====
Product Identification
=====

Product ID:L355, REFRIGERATION OIL 150 & 300

MSDS Date:08/21/1986

FSC:9150

NIIN:00-973-9501

MSDS Number: BPVFM

=== Responsible Party ===

Company Name:VIRGINIA KMP CORP

Address:4100 PLATINUM WAY

City:DALLAS

State:TX

ZIP:75237

Country:US

Info Phone Num:214-330-7731

Emergency Phone Num:214-3

30-7731

Preparer's Name:ROGER CARLONE

CAGE:DO738

=== Contractor Identification ===

Company Name:VIRGINIA K M P CORPORATION

Address:4100 PLATINUM WAY

Box:City:DALLAS

State:TX

ZIP:75237

Country:US

Phone:214-330-7731

CAGE:8J132

Company Name:VIRGINIA KMP CORP.

Address:4100 PLATINUM WAY

City:DALLAS

State:TX

ZIP:75237

Country:US

Phone:214-330-7731

CAGE:DO738

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM DISTILLATES, CLAY-TREATED HEAVY NAPHTHENIC;

(MIN

ERAL OIL)
CAS:64742-44-5
RTECS #:SE7449700

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NO REACTION EXPECTED.
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

==
=====
===== First Aid Measures =====

First Aid:INHAL:REMOVE PATIENT TO FRESH AIR. CONSULT MD. EYES:FLUSH
W/WATER FOR AT LEAST 15 MINS. SKIN:WASH THOROUGHLY W/SOAP & WATER.
INGEST:CALL MD IMMEDIATELY .

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:302F,150C
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER FOG & FOAM.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROT
EQUI
PMENT . WATER FOG & FOAM MAY CAUSE FROTHING & SPATTERING. USE
WATER SPRAY TO COOL CONTR EXPOSED TO FLAMES.
Unusual Fire/Explosion Hazard:PRODUCTS OF COMBUSTION INCLUDE FUMES,
SMOKE & CARBON MONOXIDE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF IGNITION SOURCES. CONTAIN SPILL &
KEEP FROM ENTERING WATERWAYS OR SEWERS. CONSULT SPCC PLAN.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Sto

rage =====

Handling and Storage Precautions:KEEP AWAY FROM FROM FLAMES, SPARKS OR HOT SURFACES. NEVER USE TORCH TO CUT/WELD ON/NEAR CONTR. EMPTY OIL CONTRS CAN CONTAIN EXPLOSIVE VAPORS.

Other Precautions:NEVER WEAR OIL SOAKED CLOTHING. DISCARD OIL SOAKED SHOES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NORMALLY NOT REQUIRED IF ADEQUATE VENTILATION. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:OIL RESISTANT GLOVES.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:IF THERE IS A LIKELIHOOD OF OIL SPASHING, AN OIL RESISTANT APRON SHOULD BE WORN TO PREVENT CLOTHING CONTAMINATION.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:500

F,260C

Vapor Pres:NEGLIGIBLE

Vapor Density:>5

Spec Gravity:0.9 (H*2O=1)

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:NOT SOLUBLE

Appearance and Odor:PALE YELLOW LIQUID; MINERAL OIL ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:NEVER PERMIT OIL TO GET IN AN OXYGEN REGULATOR.

Hazardous Decomposition Products:CO & OTHER COMBUSTION PRODUCTS OF HYDROCARBON

S.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE ACCORDING TO CURRENT LOCAL, STATE & FEDERAL REGULATIONS. MATERIAL MAY BECOME HAZARDOUS WASTE THROUGH USE. IF PERMITTED, INCINERATION MAY BE PRACTICAL. CONSIDER RECYCLING.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.