View NSN Online: https://aerobasegroup.gr/nsn/6750-00-912-0455

Product ID:STABILIZER CT.(FOR USE WITH P-6 ACTIVATOR)(MSDS Date:07/27/1992 FSC:6750 NIIN:00-912-0455 **MSDS Number: BPXDZ** === Responsible Party === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA ST. **City:LOS ANGELES** State:CA ZIP:90061 Country:US Info Phone Num:310-538-9530 Emergency Phone Num:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 === Contractor Identification === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP Address:RR 1 Box:276-Z City:HEATHSVILLE State:VA ZIP:22473 Country:US Phone:703-759-9399 CAGE:6W820

====== Composition/Information on Ingredients =====

Ingred Name:AMMONIUM THIOCYANATE CAS:1762-95-4 RTECS #:XK7875000 Fraction by Wt: 10-15% Other REC Limits:NONE SPECIFIED EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM BISULFITE CAS:7681-57-4 Fraction by Wt: 2-5% Other REC Limits:TLV= 5 MG/M3 (MFG)

Ingred Name:ACETIC ACID (SARA III) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 4-7% Other REC Limits:NONE SPECIFIED OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: MAY CAUSE IRRITATION AND BURNING. SKIN: MAY CAUSE IRRITATION AND ALLERGIC SKIN REACTION. INHALATION: NORMALLY NO PROBLEM. INHALATION OF MIST COULD CAUSE RESPIRATORY IRRITATION. INGESTION: MAY CA USE IRRITATION OF MUCOUS MEMBRANES OR DIGESTIVE TRACT.

Explanation of Carcinogenicity:NOT

LISTED.

Effects of Overexposure:EYES: IRRITATION AND BURNING. SKIN: IRRITATION AND ALLERGIC REACTION. INHALATION: RESPIRATORY TRACT IRRITATION. INGESTION: MUCOUS MEMBRANE AND DIGESTIVE TRACT IRRITATION. Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GE

T MEDICAL

ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. FLUSH AREA WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTION. INHALATION: MO VE TO FRESH AIR. INGESTION: DRINK MILK OR WATER. INDUCE VOMITING. GET MEDICAL ATTENTION.

Flash Point:NOT FLAMMABLE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:ANY EXTINGUISHING MEDIA APPLICABLE TO SURROUNDING AREA. Fire Fighting Procedures :EVACUATE PERSONNEL TO A SAFE AREA. KEEP PERSONNEL REMOVED AND UPWIND OF FIRE. WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION EMISSION OF TOXIC FUMES IS POSSIBLE.

Spill Release Procedures:WEAR PROTECTIVE CLOTHING AND EQUIPMENT DURING CLEANUP. DIKE SPILL. PREVENT LIQUID FROM ENTERING SEWERS, WATERWAYS, OR LOW AREAS. SOAK UP WITH SAND, OIL DRY OR OTHER

ABSORBENT MATERIAL. SPILL MAY BE NE UTRALIZED WITH POWDERED SODIUM CARBONATE.

Neutralizing Agent: POWDERED SODIUM CARBONATE.

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP
CONTAINER CLOSED. DO NOT STORE WITH INCOMPATABLE MATERIALS.
Other Precautions:DO NOT STORE OR CONSUME FOOD, DRINK, OR TOBACCO IN
AREA WHERE THEY MAY BECOME CONTAMINATED WITH THIS MATERIAL.

Respiratory Protection:NONE REQUIRED. SUFFICIENT ROOM VENTILATION IS ADEQUATE.

Ventilation:NORMAL ROOM VENTILATION IS SUFFICIENT.

Protective Gloves: GLOVES RECOMMENDED FOR SPLASH PROTECTION Eye Protection: EYEGLASSES WITH SIDE SHIELDS.

Other Protective Equipment: PROVIDE EYEWASH STATION. USE RUBBER APRON IF SPLASHING IS LIKELY.

Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE Supplemental Safety and Health

HCC:C3 Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:= WATER Vapor Pres:= WATER Vapor Density:= WATER Spec Gravity:1.095 pH:4.50 Solubility in Water:100% Appearance and Odor:CLEAR AND COLORLESS LIQUID. MILD VINEGAR ODOR.

Stability Indicator/Materials to Avoid:YES NONE. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:RECOVER NONUSABLE LIQUID, CONTAMINATED WATER, NONUSABLE SOLID MATERIAL, CONTAMINATED SOIL FOR DISPOSAL IN APPROVED AND PERMITTED TREATMENT SYSTEM OR LANDFILL. DISCHARGE TO SEWER REQUIRES APPROVAL OF P ERMITTING AUTHORITY AND MAY REQUIRE PRETREATMENT.

Disclaimer (provided with this

information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.