View NSN Online: https://aerobasegroup.com/nsn/3439-00-088-8988

INCO ALLOYS INTERNATIONAL INC -- 67N MONEL FILLER -- 3439-00-088-8988

========= Product Identification ============

Product ID:67N MONEL FILLER

MSDS Date:01/01/1992

FSC:3439

NIIN:00-088-8988

MSDS Number: BPYCB === Responsible Party ===

Company Name: INCO ALLOYS INTERNATIONAL INC

Address:1401 BURRIS RD

City:NEWTON

State:NC

ZIP:28658-1754 Country:US

Info Phone Num:800-624-3411

Emergency Phone Num:304-526-5780

CAGE:9Z762

=== Contractor Identification ===

Company Name: INCO ALLOYS INTERNATIONAL INC

Address:1401 BURRIS RD

Box:City:NEWTON

State:NC

ZIP:28658-1754

Country:US

Phone:800-624-3411

CAGE:9Z762

Company Name: INCO ALLOYS INTERNATIONAL, INC. DIV INTL NICKEL CO

Address:3200 RIVERSIDE DR

City:HUNTINGTON

State:WV ZIP:25705 Country:US

Phone: 304-526-5100

CAGE:28553

====== Composition/Information on Ingredients ========

Ingred Name: COPPER (SARA III)

CAS:7440-50-8

RTECS #:GL5325000

Fraction

by Wt: 68%

Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1MG/M3 FUME/1 DUST ACGIH TLV:0.2MG/M3 FUME; 9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:IRON CAS:6596-57-0 Fraction by Wt: 1%

Other REC Limits: NONE RECOMMENDED

Ingred Name: MANGANESE (SARA III)

CAS:7439-96-5

RTECS #:OO9275000 Fraction by Wt: 1%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:(C) 5 MG/M3 DUST ACGIH TLV:5 MG/M3 DUST 9293

Ingred Name: NICKEL (SARA III)

CAS:7440-02-0

RTECS #:QR5950000 Fraction by Wt: 31%

Other REC

Limits: NONE RECOMMENDED

OSHA PEL:1 MG/M3

ACGIH TLV:1 MG/M3; 9293

=========== Hazards Identification ==========================

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION OF WELDING FUMES MAY CAUSE NERVOUS SYSTEM AND MUSCLE IRREGULARITIES, IRRITATION OF EYES, NOSE, THROAT, AND RESPIRATORY SYSTEM, METAL FUME FEVER. CHRONIC: INHALATION OF FUMES MAY CAUS E CAN

CER, SIDEROSIS, AND AFFECT LUNG

FUNCTION.

Explanation of Carcinogenicity: CONTAINS NICKEL WHICH IS LISTED BY BOTH IARC AND NTP.

Effects of Overexposure:INHALATION: NAUSEA, DIZZINESS, DRYNESS OF NOSE AND THROAT, COUGHING, WHEEZING AND SHORTNESS OF BREATH. EYES: REDNESS, TEARING, BLURRED VISION.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALATION: REMOVE TO FRESH AIR. RESUSCIT

ATE IF NEEDED. EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. SEE DOCTOR.
============= Fire Fighting Measures ============
Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.
Unusual Fire/Explosion Hazard:NON-FLAMMABLE; BUT SPARKS AND WELDING ARC MAY IGNITE COMBUSTIBLES DURING USE.
========= Accidental Release Measures ==========
Spill Release Procedures:PICK UP RODS. SWEEP UP OR MOP. PLACE RESIDUE IN A CONTAINER FOR DISPOSAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:REMOVE ANY COMBUSTIBLES FROM WORK AREA: SPARKS OR WELDING ARC COULD IGNITE NEARBY COMBUSTIBLES. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Ex posure Controls/Personal Protection ========
Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR WELDING FUMES OR SUPPLIED AIR RESPIRATOR IN CONFINED SPACES OR WHERE FUME CONCENTRATION EXCEEDS REGULATORY LIMITS. Ventilation:USE MECHANICAL OR LOCAL EXHAUST OR BOTH TO MAINTAIN LEVELS OF FUMES BELOW REGULATORY LIMITS. Protective Gloves:WELDERS WORK GLOVES
Eye Protection:WELDERS HELMET WITH CORRECT LENSES Other Protective Equipment:CLOTHING TO PROTECT ENTIRE BODY FROM SP ARKS.
Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:N1
Melt/Freeze Pt:M.P/F.P Text:>2552F,>140 Spec Gravity:8-9 GM/CC
Solubility in Water:NEGLIGIBLE Appearance and Odor:METALLIC SILVER COLORED WIRE
======================================
Stability Indicator/Materials to Avoid

:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:METAL FUMES

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.