View NSN Online: https://aerobasegroup.com/nsn/8030-01-024-9574

## EMERSON AND CUMING, INC; A GRACE COMPANY -- TU917A -- 8030-01-024-9574

Product ID:TU917A MSDS Date:06/17/1988

FSC:8030

NIIN:01-024-9574

Kit Part:Y

MSDS Number: BQSJF === Responsible Party ===

Company Name: EMERSON AND CUMING, INC; A GRACE COMPANY

Address:77 DRAGON COURT

City:WOBURN

State:MA ZIP:01888 Country:US

Info Phone Num:617: 935-4850/938-8630/828-3300

Emerg

ency Phone Num:617: 935-4850/938-8630

Preparer's Name: DAVID A HAAS

CAGE:OB562

=== Contractor Identification ===

Company Name: EMERSON & CUMING

Address:55 HAYDEN AVE Box:City:LEXINGTON

State:MA ZIP:02173 Country:US

Phone:617-861-6600

CAGE:0B562

Company Name: EMERSON AND CUMING, INC,

Address:77 DRAGON CT.

City:WOBURN

State:MA

ZIP:01888-5000 Country:US

Phone:617-935-4850/617-938-8630

CAGE:OB562

====== Composition/Information on Ingredients ========

Ingred Name: DIPHENYL METHANE DIISOCY

ANATE (MDI) (SARA III) CAS:26447-40-5 Fraction by Wt: >70% Other REC Limits: NONE SPECIFIED OSHA PEL:0.02 MG/M3 ACGIH TLV:0.02 MG/M3 Ingred Name: MDI HOMOPOLYMER Fraction by Wt: 350F,>177C Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM Fire Fighting Procedures: FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS. COMPLETE BODY PROTECTION REQUIRED FOR FIGHTING MAJOR FIRES. Unusual Fire/Explosion Hazard: AVOID WATER CONTAMINATION IN CLOSED/CONFINED AREA. REACTION W/WATER/M **OISTURE MAY RESULT IN** POLYMERIZATION LEADING TO CO2 & HEAT BLDUP-MAY RUPTURE SEALED CNTNR. ======== Accidental Release Measures ============ Spill Release Procedures:LRG:EVACUATE NONESSENTIAL. CLEAN IN ACCORD W/OSHA 29CFR1910.120. WEAR SCBA. SMALL:TURN ON VENT EQUIP. WIPE UP/USE ABSORBENT. COLLECT IN SEALED CNTNRS. SCRUB W/SOAPY WATER. RINSE. PREVENT RINSES FROM E NTERING WATERBODIES.DIKE.SHOVEL/PUMP TODRUM/TANK. Neutralizing Agent: DECONTAM USING WATER /AMMONIA SOLUTION W/1-2% DETERGENT. LET STAND 10 MIN. ============ Handling and Storage =========================== Handling and Storage Precautions: MAY CAUSE SKIN SENSITIZATION. DONT INGEST. DONT EXPOSE TO MOISTURE. MOISTURE WILL MAKE PRODUCT

Other Precautions: KEEP MATERIAL BLANKETED UNDER NITROGEN TO PREVENT REACTION WITH AIR OR MOISTURE. KEEP AWAY FROM HEAT, SPARKS, OPEN

UNUSEABLE. KEEP FROM FREEZING.

====== Exposure Controls/Personal Protection ==

FLAME.

Respiratory Protection:WEAR AN APPROPRIATE, PROPERLY FITTED RESPIRATOR WHEN CONTAMINANT LEVELS EXCEED THE RECOMMENDED EXPOSURE LIMITS. FOR SPRAYING APPLICATIONS, OR FOR NON-SPRAY APPLIC ABOVE 10X TLV, AN APPROPRIATE SUPPLIE D-AIR RESPIRATOR IS REQUIRED.

Ventilation: USE WITH PROPER MECHANICAL EXHAUST VENTILATION.

Protective Gloves:WEAR PROPER PROTECTIVE GLOVES.

Eve Protection: WEAR PROPER PROTECTIVE GOGGLES.

Other Protective Equipment:WEAR PROPER PROTECTIVE CLOTHING TO PREVENT

EXPOSURE. USE CHEM RESISTANT APRON OR IMPERVIOUS CLOTHING. Work Hygienic Practices:REMOVE CONTAMINATED CLOTHING & WASH BEFORE REUSE.

Supplemental Safety and Health

	Physical/Chemical Properties	
--	------------------------------	--

Boiling Pt:B.P. Text:>350F,>177C

Decomp Temp:Decomp Text:>500F,>260C

Vapor Pres:3 X 10-4

Spec Gravity: 1.2 (WATER=1)

Solubility in Water: REACTS WITH WATER

Appearance and Odor: COLORLESS TO SLIGHTLY YELLOW LIQUID; VERY SLIGHT,

IF ANY, ODOR

Percent Vol

atiles by Volume:NEG

	Stability and	Reactivity Data	=======================================
--	---------------	-----------------	---

Stability Indicator/Materials to Avoid:YES

WATER, STRONG BASES, ALCOHOLS, METAL COMPOUNDS OR SURFACE ACTIVE AGENTS.

Stability Condition to Avoid:STORAGE IN OPEN CNTNRS, EXPOSURE TO HEAT/FLAME, UNCONTROLLED MIXING W/INCOMPATIBLE SUBSTANCES. AVOID TEMPS >120F.

Hazardous Decomposition Products: CARBON MONOXIDE, OXIDES OF NITROGEN, TRACES OF HYDROGEN CYANIDE, ISOCYANATES.

Conditions to Avoid Pol

ymerization: AVOID MIXING WITH INCOMPATIBLE

MATERIALS (WATER, STRONG BASES, ALCOHOLS, METAL COMPOUNDS OR SURFACE ACTIVE AGENTS).

	D	isposal	Consid	derations	
--	---	---------	--------	-----------	--

Waste Disposal Methods:SPILLED MATERIAL & WATER RINSES AREA CLASSIFIED AS CHEMICAL WASTE & MUST BE DISPOSED OF IN ACCORDANCE WITH CURRENT LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for u

se by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.