View NSN Online: https://aerobasegroup.gr/nsn/6830-01-317-3387

ELLMAN INTERNATIONAL MFG CO -- FRIGIDENT -- 6830-01-317-3387

Product ID:FRIGIDENT MSDS Date:07/30/1992 FSC:6830 NIIN:01-317-3387 MSDS Number: BQWJF === Responsible Party === Company Name: ELLMAN INTERNATIONAL MFG CO Address:1135 RAILROAD AVE City:HEWLETT State:NY ZIP:11557-2316 Country:US Info Phone Num:516-569-1482 Emergency Phone Num:516-569-1482 CAGE:1BC82 === Contractor Identification === Company Name: ELLMAN INTERNATIONAL MFG CO Address:1135 RAILROAD AVE Box:City:HEWLETT State:NY ZIP:11557-2316 Country:US CAGE:1BC82 Ingred Name: DICHLORODIFLUOROMETHANE (SARA III) CAS:75-71-8 RTECS #:PA8200000 Fraction by Wt: 100% OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1

=========== Hazards Identification =========

==========

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MAY CAUSE EYE AND SKIN IRRITATION, CONCENTRATED VAPORS MAY CAUSE LIGHT HEADEDNESS, GIDDINESS. MAY BE HARMFUL IF INGESTED. Effects of Overexposure:SEE "HEALTH HAZARD" Medical Cond Aggravated by Exposure: POSSIBLE CARDIAC ARRHYTHMIA AT HIGH CONCENTRATION. First Aid:FLUSH EYES WITH WATER; WASH SKIN WITH SOAP AND WATER. REMOVE PATIENT TO FRESH AIR; IF INGESTED, DO NOT GIVE EPINEPHRINE OR SIMILAR DRUGS. CALL A PHYSICIAN. Flash Point:NONE Extinguishing Media:NON-FLAMMABLE Unusual Fire/Explosion Hazard: CONTAINER MAY BURST IF EXPOSED TO TEMPERATURE ABOVE 120F HEATED SURFACES, OPEN TO FLAMES AND SPARKS. ======= Accident Spill Release Procedures: AVOID INHALATION OR CONCENTRATED VAPORS. ABSORB SPILLED MATERIAL WITH APPROPRIATE ABSORBENT. Handling and Storage Precautions: DO NOT STORE AT ABOVE 120F; DO NOT PUNCTURE OR INCINERATE CONTAINER. Other Precautions: STORE IN A COOL DRY PLACE, AWAY FROM HEAT AND OPEN FLAMES. AVOID CONTACT WITH SKIN AND EYES.

======= Exposure Controls/Personal Pro

tection ===========

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER Eye Protection:NONE SPECIFIED BY MANUFACTURER. Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE

HCC:V2 Boiling Pt:B.P. Text:-21.6 Vapor Density:4.2 Spec Gravity:1.311 Appearance and Odor:COLORLESS LIQUID Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:OPEN FLAMES OR HIGH TEMPERATURE Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: IN ACCORDANCE WITH LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with

this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.