

TURCO PRODUCTS, INC; DIV OF ATOCHEM NORTH AMERICA -- TURCO 5873 -- 8010-01-261-6874
===== Product Identification =====

Product ID:TURCO 5873

MSDS Date:01/20/1992

FSC:8010

NIIN:01-261-6874

MSDS Number: BQYMT

=== Responsible Party ===

Company Name:TURCO PRODUCTS, INC; DIV OF ATOCHEM NORTH AMERICA

Address:7300 BOLSA AVE

City:WESTMINSTER

State:CA

ZIP:92684-3600

Country:US

Info Phone Num:714-890-3600

Emergency Phone Num:714-387-6200

Preparer's Name:JOHN DISTASO

CAGE:0BYN5

=== Contractor Identification ===

Company Name:TURCO PRODUCTS, INC.

Address:7300 BOLSA AVE

Box:6200

City:WESTMINSTER

State:CA

ZIP:92684-3600

Country:US

Phone:614-387-6200

CAGE:0BYN5

===== Composition/Information on Ingredients =====

RTECS #:9999999ZZ

Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM CHROMATE (SARA 313) (CERCLA RQ 10)

CAS:7775-11-3

RTECS #:GB2955000

Fraction by Wt: < 1%

Other REC Limits:

NONE SPECIFIED
OSHA PEL:0.1 MG/M3(CRO3) CEIL
ACGIH TLV:0.05 MG CR/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:METHYL ALCOHOL (SARA 313) (CERCLA RQ 5000) (RCRA U154)
CAS:67-56-1
RTECS #:PC1400000
Fraction by Wt: 10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:S,200PPM/250STEL
ACGIH TLV:S,200PPM/250STEL; 93
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:BENZYL ALCOHOL
CAS:100-51-6
RTECS #:DN3150000
Fraction by Wt: < 5%
Other REC Limits:NONE SPECIFIED

Ingred Name:AMMONIUM HYDROXIDE
(SARA 313) (AMMONIA) (CERCLA RQ 1000)
CAS:1336-21-6
RTECS #:BQ9625000
Fraction by Wt: < 5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:35 PPM STEL
ACGIH TLV:25 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:DICHLOROMETHANE (SARA 313) (CERCLA RQ 1000) (RCRAU080)
CAS:75-09-2
RTECS #:PA8050000
Fraction by Wt: 75%
Other REC Limits:NONE SPECIFIED
OSHA PEL:500 PPM
ACGIH TLV:50 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
RTECS #:9999999ZZ
Other REC Limits:NONE SPECIFIED

Ingred Name:WATER
CA

S:7732-18-5
RTECS #:ZC0110000
Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM PETROLEUM SULFONATE
CAS:68608-26-4
Other REC Limits:NONE SPECIFIED

Ingred Name:SCAQMD VOC: 147 G/L (CALCULATED FROM NOMINAL COMPOSITION)
RTECS #:9999999VO
Other REC Limits:NONE SPECIFIED

Ingred Name:SCAQMD COMPOSITE VAPOR PRESSURE: 20.0 MM HG (CALCULATED BY
RAOULT'S LAW)
RTECS #:9999999ZZ
Other REC Limits:NONE SPECIFIED

===== Fire Fighting Measures =====

Flash Point Method:
SCC
Flash Point:NONE TO BOIL
Extinguishing Media:FOAM, CO2, DRY CHEM 616-683-3377 MIKE LICHATOWICH
NILES CHEMICAL PAINT
Fire Fighting Procedures:225 FORT STREET; PO BOX 307 NILES MI49120

===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T4
Boiling Pt:B.P. Text:105F,41C
Vapor Pres: 230
Vapor Density:> 1
Spec Gravity:1.18
pH: >()
Evaporation Rate & Reference:< 1 (BU
AC=1)
Solubility in Water:APPRECIABLE
Appearance and Odor:VISCOUS AMBER LIQUID, AMMONIACAL ODOR

===== Stability and Reactivity Data =====

R N/K SLOWER THAN ETHER SLIGHT LIQUID, ODOR OF SOLVENTS
Stability Condition to Avoid:TT-E-489 TYPE 1; CLASS A N/-K N/K N/K 251
TO 398F1.103 N/K N/K > AI

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States o

f America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.