View NSN Online: https://aerobasegroup.gr/nsn/6550-01-273-2392

MICROSCAN -- B1012-30B PEPTIDASE REAGENT -- 6550-01-273-2392

Product ID:B1012-30B PEPTIDASE REAGENT

MSDS Date:02/05/1987

FSC:6550

NIIN:01-273-2392

MSDS Number: BRCCZ
=== Responsible Party ===
Company Name:MICROSCAN
Address:1584 ENTEPRISE BLVD
City:WEST SACRAMENTO

State:CA ZIP:95691 Country:US

Info Phone Num:916-372-1900

Emergency Phone Num:800-631-7216 OR 916-372

-1900

CAGE:NO031

=== Contractor Identification ===
Company Name:MICROSCAN
Address:1584 ENTEPRISE BLVD

City:WEST SACRAMENTO

State:CA ZIP:95691 Country:US

Phone:916-372-1900

CAGE:NO031

======= Composition/Information on Ingredients ========

Ingred Name:4-DIMETHYLAMINOCINNAMALDEHYDE *93-1*

CAS:6203-18-5

Fraction by Wt: 0.0002%

Ingred Name:ETHYLENE GLYCOL MONOMETHYL ETHER (EGME), METHYL CELLOSOLVE, 2-METHOXY ETHANOL, METHYL OXITOL

CAS:109-86-4

RTECS #:KL5775000

Fraction by Wt

: 5%

Other REC Limits:16 PPM

OSHA PEL:25 PPM

ACGIH TLV:16 MG/CUM

Ingred Name: DIMETHYL FORMAMIDE

CAS:68-12-2

RTECS #:LQ2100000 Fraction by Wt: 2%

Other REC Limits:10 PPM OSHA PEL:30 MG/CUM

ACGIH TLV:30 MG/CUM (SKIN)

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: ACETIC ACID (GLACIAL)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 2.4% OSHA PEL:10 PPM ACGIH TLV:25 MG/CUM EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name: SODIUM LAURYL SULFATE, SODIUM DODECYL SULPHATE; DUPONAL;

STEPANOL T 2

8

CAS:151-21-3

RTECS #:WT1050000 Fraction by Wt: 2.4%

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 79-88%


========== Hazards Identification ===========================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: IRRITATION, STAIN. INHALATION/INGESTION: LUNG & DIGESTIVE TRACT IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexp



tion:MECHANICAL. Protective Gloves: IMPERVIOUS TO SOLVENTS. Eye Protection: SAFETY GOGGLES Other Protective Equipment: WORKS CLOTHES AS NEEDED TO PREVENT SKIN EXPOSURE. Work Hygienic Practices: AVOID ALL NEEDLESS EXPOSURE. Supplemental Safety and Health USE HANDLING & DISPOSAL TECHNIQUES FOR BIOHAZARDS IN THE USE OF THE REAGENT W/DIAGNOSTIC PANELS. ======== Physical/Chemical Properties ============= Boiling Pt:B.P. Text:AS WATER Vapor Pres: AS WATER Vapor Density:>2 Spec Gr avity: 1 Appearance and Odor:YELLOWISH, SOUR-SMELLING LIQUID ODOR. ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS & CAUSTICS Stability Condition to Avoid: EXCESSIVE HEAT Hazardous Decomposition Products: TOXIC NITROGEN & CO, CO2. TOXIC AMINES-DMA. ========= Disposal Considerations =========================== Waste Disposal Methods: CONTRACT FOR REMOVAL TO LANDFILL W/EPA APPROVED VENDOR. ALTERNATIVELY,

MIX W/FLAMMABLE SOLVENT & BURN. FOLLOW FEDERAL, STATE & LOCAL, REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume r

esponsibility for the suitability of this information to their particular situation.		