

EASTMAN KODAK COMPANY -- 123 0432 EKTACOLOR RA DEVLPR REPLENISHER, PART C KAN 445500. -- 6750-01-354-1029

===== Product Identification =====

Product ID:123 0432 EKTACOLOR RA DEVLPR REPLENISHER, PART C KAN 445500.

MSDS Date:10/26/1994

FSC:6750

NIIN:01-354-1029

Kit Part:Y

MSDS Number: BRFXC

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 FOR MSDS : 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===

=====  
Composition/Information on Ingredients  
=====

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 60-70%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM CARBONATE  
CAS:584-08-7  
RTECS #:TS7750000  
Fraction by Wt: 30-40%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (SARA III)  
CAS:1310-58-3  
RTECS #:TT2100000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:C 2 MG/M3  
ACGIH TLV:C 2 MG/M3; 9394  
EPA Rpt Qty:1000 LBS  
DOT Rpt  
Qty:1000 LBS

Ingred Name:PHOSPHONIC ACID,(1-HYDROXYETHYLIDENE)DI-  
CAS:2809-21-4  
RTECS #:SZ8562100  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM BROMIDE  
CAS:7758-02-3  
RTECS #:TS7650000  
Fraction by Wt: 1GAL LIQ/5LBS  
SOLID:EMPTIED CNTNRS RETAIN PROD RESIDUE FOLLOW LOW WARNINGS.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE SHOULD BE NEEDED.  
Ventilation:GOOD GEN VENTI(TYP 10AIR CHANGES/HR)SHOULD BE USED.VENTI

RATES SHOULD MATCH CONDITONS.  
Protective Gloves:IMPERVIOUS GLOVES.  
Eye Protection:SAFETY GLASSES W/SIDE SHIELDS(OR GOGGLE)  
Other Protective Equipment:WEAR IMPERVIOUS PROTECTIVE CLOTHING  
APPROPRIATE FOR RISK OF EXPOSURE. EYEBATH, SAFETY SHOWER, WASHING  
FACILITIES.  
Work Hygienic Practices:WASH WELL AFT HANDLING.GOOD INDUSTRIAL HYGIENE  
PRACTICE SHOULD BE FOLLOWED.WASH CONTAMIN CLOTH BEFORE  
REUSE.DESTROY SHOE  
Supplemental Safety and Health  
KEY1:C2. THREE-PART KIT. SEE PNI A AND B  
FOR OTHER PARTS.

===== Physical/Chemical Properties =====

HCC:B1  
Boiling Pt:B.P. Text:>212F,>100C  
Vapor Pres:18MM @20C  
Vapor Density:0.6  
Spec Gravity:1.40  
pH:>13.0  
Solubility in Water:COMPLETE  
Appearance and Odor:LIQUID COLORLESS, ODORLESS.  
Percent Volatiles by Volume:60-70

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ACIDS.  
Stability Condition to Avoid:NONE SPECIFIED BY MFG.  
Hazardous Decomposition  
Products:NONE (NON-COMBUSTIBLE).

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE/TREAT/DISPOSAL MAY BE SUBJ TO  
NAT/STATE/LOC LAWS.FLUSH TO SEWER W/LG AMTS OF WATER.STRONGLY  
ALKALINE AQU SOLN.NO BIOCHEM OXY DEMAND;NO POT TO CAUSE OXY  
DEPLETION IN AQU SYS,HI POT TO AFFECT GERMINATION &/OR EARLY  
GROWTH FO SOME PLANTS(SUPP)

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated

for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.