View NSN Online: https://aerobasegroup.com/nsn/8030-01-066-8156

ORGANIC PRODUCTS CO. -- F-900 TORQUE SEAL -- 8030-01-066-8156

Product ID:F-900 TORQUE SEAL MSDS Date:02/26/1992 FSC:8030 NIIN:01-066-8156 **MSDS Number: BRKTP** === Responsible Party === Company Name: ORGANIC PRODUCTS CO. Address:1963 IRVING BOULEVARD Box:428 City:IRVING State:TX ZIP:75060-4555 Country:US Info Phone Num:214-438-7321 Emergency Phone Num:214-438-7321 С AGE:01195 === Contractor Identification === Company Name: ORGANIC PRODUCTS CO. Address:1963 E. IRVING BOULEVARD Box:428 City:IRVING State:TX ZIP:75060-4555 Country:US Phone:214-438-7321 CAGE:01195

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III) CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 30-60% OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: ETHYL ALCOHOL (ETHA

NOL) CAS:64-17-5 RTECS #:RQ6300000 Fraction by Wt: 10-40% OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 8990

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MINOR IRRITATION FROM PROLONGED BREATHING, MINOR IRRITATION TO SKIN AND EYES. Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSH A AS A CARCINOGEN. Effects of Overexposure:NAUSEA, VOMITING IF SWALLOWED. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:REMOVE TO FRESH AIR. WASH AFFECTED AREAS WITH WATER. IF SWALLOWED, INDUCE VOMITING. CALL PHYSICIAN. Flash Point Method:TOC Flash Point:109F,43C Extinguishing Media: CARBON DIOXIDE OR DRY CHEMICAL FOR SMA LL FIRES, ALCOHOL FOAM FOR LARGE FIRES. Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE WITH PRESSURE DEMAND. Unusual Fire/Explosion Hazard: VAPOR IS HEAVIER THAN AIR, KEEP AWAY FROM

PILOT LIGHTS, LIGHTS, FLAMES, SPARKS, HEATERS, SMOKERS.

Spill Release Procedures: ABSORB LIQUID; USE ABSORBENT MATERIAL AND TRANSFER TO HOOD. ELIMINATE ALL IGNITION SOURCES, DESTROY REMAINING M

ATERIAL BY INCINERATION. Neutralizing Agent:NOT APPLICABLE.

======================================
Handling and Storage Precautions:WEAR RESISTANT GLOVES SUCH AS NEOPRENE, EYE PROTECTION, CHEMICAL SPLASH GOGGLES, PROTECTIVE EQUIPMENT TO PREVENT PROLONGED SKIN CONTACT. Other Precautions:NONENONE
======================================
Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. Ventilation:NONE SPECIFIED BY MANUFACTUR ER.
Protective Gloves:YES; NEOPRENE. Eye Protection:SAFETY GOGGLES. Other Protective Equipment:SAFETY SHOWER AND EYE BATH. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE
======================================
HCC:F4 Boiling Pt:=65.6C, 150.F B.P. Text:150F,66C Vapor Pres:42 MM Appearance and Odor:HEAVY THICK BLUE PASTE, ALCOHOL ODOR Percent Volatiles by Volume:50
======================================
Stability Indicator/Materials to Avoid:YES NOT KNOWN. Stability Condition to Avoid:AVOID HEAT, SPARKS, FIRES. Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE CARBON MONOXIDE AND/OR CARBON DIOXIDE.
======================================

Waste Disposal Methods:INCINERATE IN FURNANCE, OR BY LIQUID INCINERATION. DEPOSIT IN TOXIC LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this

information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.