

ELDORADO CHEMICAL COMPANY, INC. -- ED-370 -- 6850-00-965-2331

=====
Product Identification
=====

Product ID:ED-370
MSDS Date:10/14/1992
FSC:6850
NIIN:00-965-2331
MSDS Number: BRNQV
=== Responsible Party ===
Company Name:ELDORADO CHEMICAL COMPANY, INC.
Address:14350 LOOKOUT ROAD
Box:34837
City:SAN ANTONIO
State:TX
ZIP:78265
Country:US
Info Phone Num:512-653-9323
Emergency Phone Num:800-531-1088

Pr
Preparer's Name:PAT E. SMITH
CAGE:55208
=== Contractor Identification ===
Company Name:ELDORADO CHEMICAL COMPANY, INC.
Address:14350 LOOKOUT ROAD
Box:34837
City:SAN ANTONIO
State:TX
ZIP:78265-4837
Country:US
Phone:800-531-1088/ 210-653-2060
CAGE:55208

=====
Composition/Information on Ingredients
=====

Ingred Name:ALIPHATIC PETROLEUM NAPHTHAS
CAS:68476-34-6
Fraction by Wt: 50%
Other REC Limits:NONE SPECIFIED

Ingred Name:ETHYLENE GLYCOL MONOBUTYL ETHER
CAS:111-76-2
RTECS #:KJ857

5000
Fraction by Wt: 3%
Other REC Limits:NONE SPECIFIED
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9293

Ingred Name:VOC: 887 GM/L
RTECS #:9999999VO
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INHALATION: MODERATE,
IRRITATION, DIZZINESS, NAUSEA, FATIGUE. SKIN: MODERATE. MAY CAUSE
IRRITATION. SKIN ABSORPTION: SLIGHT IRRITATION OF SKIN. EYE

CONTACT: CORROSIVE BURNS EYES IMMEDIATELY. CHRONIC: INHALATION:
SAME AS ACUTE. SKIN:SLIGHT. DERMATITIS MAY OCCUR. EYE CONTACT:
SLIGHT NO CHRONIC HAZARD EXPECTED.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES; CONSULT A PHYSICIAN.
SKIN: REMOVE & WASH CONTAMINATED CLOTHING. INHALATION: REMOVE TO
FRESH AIR.

=====
Fire Fighting Measures
=====

Flash Point:>142F,>61C
Auto
ignition Temp:Autoignition Temp Text:> 400F
Lower Limits:2 %
Upper Limits:15 %
Extinguishing Media:TREAT AS CLASS B (OIL TYPE) FIRE
Fire Fighting Procedures:SAME AS FOR PETROLEUM NAPHTHA
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:RINSE WITH WATER.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:SCBA REQUIRED IF LIMITS EXCEEDED
Ventilation:100 FT/MIN
Protective Glove

s:RUBBER

Eye Protection:FACE SHIELD OR GOGGLES

Other Protective Equipment:NONE

Work Hygienic Practices:AVOID PROLONGED SKIN CONTACT

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:>220F,>104C

Melt/Freeze Pt:M.P/F.P Text: