Product ID:GASOHOL, SUPER GASOHOL

MSDS Date:01/01/1990

FSC:9130

NIIN:01-090-1092

MSDS Number: BRPGJ === Responsible Party === Company Name: CONOCO INC

Box:2197

City:HOUSTON

State:TX ZIP:77252 Country:US

Info Phone Num:713-293-5550

Emergency Phone Num:800-424-9300 TRANS 800-441-3637 MED

CAGE:5R396 === Contrac

tor Identification ===

Company Name: CONOCO INC Address: 5 GREENWAY PLAZA E

Box:2197

City:HOUSTON

State:TX ZIP:77252 Country:US

Phone:713-293-5550PRODUCT/800-4413637MED

CAGE:5R396

======= Composition/Information on Ingredients ========

Ingred Name: GASOLINE UNLEADED

Fraction by Wt: >50%

Other REC Limits: NONE RECOMMENDED

Ingred Name:BENZENE (SARA III)

CAS:71-43-2

RTECS #:CY1400000 Fraction by Wt: 0.1-4.9%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1PPM/5STEL;1910.1028

ACGIH TLV:10

PPM; A2; 9293 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name: ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000 Fraction by Wt: 10%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9293

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000 Fraction by Wt: 12%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9293

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: TOLUENE (SARA III)

CAS:108-88-3

RT

ECS #:XS5250000 Fraction by Wt: 15%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

========= Hazards Identification ============================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Health Hazards Acute and Chronic: CONTAINS PETROLEUM HYDROCARBONS WHICH

MAY CAUSE IRRITATION TO THE EYES, SKIN, AND LUNGS

W/PROLONGED/REPEATED EXPO

- SURE. CONTAINS ETHYL ALCOHOL, EXTREME EXPOSURE OR ASPIRATION INTO LUNGS MAY CAUSE PNEUM ONIA, DROWSINESS, DIZZINESS, SLURRED SPEECH, FLUSHED FACE, UNCONXCIOUSNESS OR CONVULSIONS. TOXIC TO LIVER & KIDNEYS.
- Explanation of Carcinogenicity: CONTAINS B [71-43-2] WHICH IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN.
- Effects of Overexposure:IRRITATION TO THE EYES, SKIN, AND LUNGS AFTER PROLONGED/REPEATED EXPOSURE. ALSO MAY CAUSE PNEUMONIA, DROWSINESS, DIZZINESS.
- SLURRED SPEECH, FLUSHED FACE, UNCONXCIOUSNESS OR CONVULSIONS.
- Medical Cond Aggravated by Exposure: PROLONGED/REPEATED SKIN CONTACT
- First Aid:IF IRRITATION PERSISTS OR IS SEVERE, SEE A DOCTOR. EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALED:REMOVE TO FRES H AIR. AID/RESTORE BREATHING IF NECESSARY. INGESTED:DO NOT INDUCE VO
- MITING. GIVE 2 LARGE GLASSES OF MILK OR WATER TO DILUTE & GET IMMEDIATE MEDICAL CARE. NOTHING BY MOUTH IF UNCONSCIOUS.

=========== Fire Fighting Measures ==============

Flash Point Method:TCC Flash Point:-50F,-46C Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN

Extinguishing Media: USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.


Fire Fighting Procedures:WATER MAY BE INEFFECTIVE, BUT MAY BE USED TO COOL FIRE EXPOSED CONTAINERS & TO DISPERSE VAPORS OR FLUSH LIQUID FROM ARE

AS OF IGNITION EXPOSURE.

Unusual Fire/Explosion Hazard:HIGHLY FLAMMABLE! PRODUCTS OF COMBUSTION ARE CO, CO2 & OTHER TOXICS. DO NOT ENTER TANKS, VESSELS OR CONFINED SPACES W/O PROTECTIVE EQUIPMENT & SCBA.

========= Accidental Release Measures ===========

Spill Release Procedures:REVIEW FIRE & EXPLOSION HAZARDS. WEAR PROTECTIVE EQUIPMENT. FLAMMABLE! CONTAIN SPILL TO AS SMALL AREA AS POSSIBLE. RECOVER AS MUCH LIQUID AS POSSIBLE. PLACE NON-RECOVERABLE PRODUCT



Waste Disposal Methods:RECYCLE AS MUCH AS POSSIBLE. TREATMENT, STORAGE, TRANSPORTATION & DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS. DO NOT WASH OR DRAIN TO SEWERS, WATERWAYS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informatio n to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.