View NSN Online: https://aerobasegroup.com/nsn/6850-00-826-0981 MET-L-CHEK COMPANY -- E-59 REMOVER -- 6850-00-826-0981 ============ Product Identification ========================= Product ID:E-59 REMOVER MSDS Date:03/18/1992 FSC:6850 NIIN:00-826-0981 Kit Part:Y MSDS Number: BRQQG === Responsible Party === Company Name: MET-L-CHEK COMPANY Address:1639 EUCLID ST City:SANTA MONICA State:CA ZIP:90404-3770 Country:US Info Phone Num:213-450-1111 Emergency Phone Num:213-450-1111 CAGE:98733 = Contractor Identification === Company Name: MET-L-CHEK COMPANY Address:1639 EUCLID ST Box:00000 City:SANTA MONICA State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 CAGE:98733 ======= Composition/Information on Ingredients ======== Ingred Name: NAPHTHA, MEDIUM ALIPHATIC CAS:64742-88-7 Other REC Limits: NONE RECOMMENDED OSHA PEL:100 PPM ACGIH TLV:100 PPM =========== Hazards Identification ==========================

LD50 LC50 Mixture:TLV=200PPM (ALIPHATIC PET.D

ISTILLATES) Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES:MINIMALLY IRRITATING.SKIN:SLIGHTLY IRRITATING.INHAL:VAPOR CAN IRRITATE NOSE,THROAT AND RESPIRATORY TRACT AND CAUSE CNS DEPRESSION. Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA. Effects of Overexposure:INHAL:IRRITATION OF THE EYES,SKIN,NOSE,THROAT
OR RESPIRATORY TRACT.GIDDINESS,HEADACHE.INGEST:VOMITING. Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS OF THE EYES,SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.
======================================
First Aid:EYES:FLUSH WITH WATER.SKIN:REMOVE CONTAMINATED CLOTHING;FLUSH WITH WATER.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUA LIFIED ME DICAL ATTENTION.
======================================
Flash Point Method:TCC Flash Point:140F,60C Lower Limits:1 Upper Limits:6 Extinguishing Media:WATER FOG,FOAM,DRY CHEMICAL,CARBON DIOXIDE.DO NOT USE A DIRECT STREAM OF WATER. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:PRESSURE BUILD-UP COULD RUPTURE
CONTAIN ER.
======== Accidental Release Measures ==========
Spill Release Procedures:ELIMINATE SOURCES OF IGNITION.WEAR PROTECTIVE CLOTHING.SOAK UP WITH CLAY,SAND OR OTHER ADSORBANT;PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL. Neutralizing Agent:NONE
======================================
Handling and Storage Precautions: KEEP AWAY FROM HEAT SPARKS AND

Handling and Storage Precautions:KEEP AWAY FROM HEAT SPARKS AND FLAMES.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:USE WITH ADEQUATE VENT

ILATION.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A SELF-CONTAINED BREATHING APPARATUS.
Ventilation:LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV/PEL.
Protective Gloves:CHEMICALLY RESISTANT
Eye Protection:SAFETY GLASSES;GOGGLES
Other Protective Equipment:CLOTHING TO AVOID SKIN CONTACT.
Work Hygienic Practices:WASH HANDS.SEPERATE WORK C
LOTHES FROM STREET
CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.
Supplemental Safety and Health
FORMULA CHANGE FROM SAME NSN;PNIND-G.THIS IS PART OF A 3 PART KIT.

========= Physical/Chemical Properties ==========

HCC:F4

Boiling Pt:B.P. Text:355F,179C

Vapor Pres:5MM@68F Vapor Density: 5.4 Spec Gravity:0.77

Evaporation Rate & Evaporation R