View NSN Online: https://aerobasegroup.gr/nsn/6850-00-281-1837

W.A.HAMMOND DRIERITE CO. -- INDICATING DRIERITE -- 6850-00-281-1837

Product ID:INDICATING DRIERITE MSDS Date:03/01/1993 FSC:6850 NIIN:00-281-1837 MSDS Number: BSTXP === Responsible Party === Company Name:W.A.HAMMOND DRIERITE CO. Address:138 DAYTON AVE. Box:460 City:XENIA State:OH ZIP:45385 Country:US Info Phone Num:513-376-2927 Emergency Phone Num:513-376-2927 Pr eparer's Name:NONE CAGE:70000 === Contractor Identification === Company Name:W.A.HAMMOND DRIERITE CO. Address:138 DAYTON AVE. Box:460 City:XENIA State:OH ZIP:45385-2830 Country:US Phone:937-376-2927 CAGE:70000

Ingred Name:CALCIUM SULFATE CAS:7778-18-9 RTECS #:WS6920000 Fraction by Wt: 97% Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9394

Ingred Name:COBALT CHLORIDE CAS:7646-79-9 RTECS # :GF9800000 Fraction by Wt: 3% Other REC Limits:NONE RECOMMENDED OSHA PEL:0.05 MG/M3 (AS CO). ACGIH TLV:0.05 MG/M3 (AS CO).

LD50 LC50 Mixture: ORAL LD50 (RAT) IS 80 MG/KG (COBALT CHL) Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE AND CHRONIC- MAY CAUSE EYE, SKIN & RESPIRATORY TRACT IRRITATION. MAY CAUSE AN ALLERGIC SKIN RASH . IF INGESTED, MAY CAUSE VOMITING, DIARRHEA & A SENSATION OF HOTNESS. EXCESSIVE INHALATION/INGESTI ON MAY AFFECT KIDNEYS, LUNGS & THYROID.TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS, LUNGS, KIDNEYS, THYROIDS. Explanation of Carcinogenicity:NONE Effects of Overexposure: EYES, SKIN, RESPIRATORY AND GASTROINTESTINAL TRACTS IRRITATION, ALLERGIC SKIN REACTION, NAUSEA, VOMITING, **DIARRHEA, HOTNESS** Medical Cond Aggravated by Exposure: INDIVIDUAL WITH SKIN DISORDERS OR RES PIRATORY DISEASES MAY BE MORE SUSCEPTIBLE TO THIS MATERIAL. 

First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:I F CONSCIOUS, DRINK TWO GLASSES OF WATERAND INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY.

====== Fire Fighting Measures ====

\_\_\_\_\_

Flash Point:NONE

Extinguishing Media:WATER

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY

Unusual Fire/Explosion Hazard:WHEN EXPOSED TO WATER, THE UNUSED PRODUCT CAN GET QUITE HOT. WHEN FIRST WETTED, THEY CAN HEAT TO THE BOILING OF WATER. FLOODING WILL REDUCE TEMPERATURE.

Spi

II Release Procedures:SWEEP THE SPILL AREA. COLLECT AND PLACE THE SPILLED MATERIAL IN A WASTE DISPOSAL CONTAINER. AVOID RAISING DUST. UTILIZE WET OR VACUUM METHOD OF CLEAN-UP TO MINIMIZE DUST. Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINER IN A DRY PLACE AWAY FROM MOISTURE.

Other Precautions:DO NOT BREATHE THE DUST. AVOID CONTACT WITH EYES AND SKIN. WASH THORO

UGHLY AFTER HANDLING. DO NOT INGEST.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:WEAR A PROPERLY FITTED NIOSH-APPROVED DUST RESPIRATOR IF CONDITIONS ARE DUSTY. Ventilation:ADEQUATE Protective Gloves:RUBBER/LATEX

Eye Protection: GOGGLES FOR DUSTY CONDITIONS

Other Protective Equipment:LONG SLEEVE WORK CLOTHING, EYE WASH STATION Work Hygienic Practices:WASH THOROUGHLY BEFORE EATING, DRINKING OR SMOKING. VACUUM UP ANY DUST. LAUNDER CLOTHING BEF

ORE REUSE.

Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A UNDER THE SAME NSN.

HCC:T6 NRC/State Lic Num:NOT RELEVANT Spec Gravity:1.87 Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:0.3 G/100 ML Appearance and Odor:BLUE GRANULES - NO ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING A

## GENTS Stability Condition to Avoid:MOISTURE Hazardous Decomposition Products:MAY PRODUCE CHLORINE.

Waste Disposal Methods:DISCARD ANY PRODUCT, RESIDUE, DISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. COVER PROMPTLY TO AVOID BLOWING DUST.

Disclaimer (provided with this information by the compiling agencies): This information is f

ormulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.