View NSN Online: https://aerobasegroup.com/nsn/4240-01-250-8295

## ALLEGRO INDUSTRIAL -- ISOPROPYL ALCOHOL AND WATER -- 4240-01-250-8295

======== Product Identification ============

Product ID:ISOPROPYL ALCOHOL AND WATER

MSDS Date:07/14/1992

FSC:4240

NIIN:01-250-8295

MSDS Number: BTHPX === Responsible Party ===

Company Name: ALLEGRO INDUSTRIAL

Address:6402 ALONDRA BLVD

City:PARAMOUNT

State:CA ZIP:90723 Country:US

Info Phone Num:213-633-4861

Emergency Phone Num:800-424-9300

## CAGE:ALLER

=== Contractor Identification ===

Company Name: ALLEGRO INDUSTRIAL

Address:6402 ALONDRA BLVD

City:PARAMOUNT

State:CA ZIP:90723 Country:US

Phone:213-633-4861

CAGE:ALLER

Company Name: AMERICO INDUSTRIAL SUPPLY INC

Address:1070 E DOMINGUEZ ST UNIT B

Box:City:CARSON

State:CA

ZIP:90746-3619

Country:US

Phone:310-763-5500 FAX:310-763-5858

CAGE:0XDR8

Company Name: INDUSTRIAL PRODUCTS CO

Address:21 CABOT BLVD Box:City:LANGHORNE

State:PA

ZIP:19047-1801 Country:US CAGE:30684

====== Compos

ition/Information on Ingredients ========
Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 70%
Other REC Limits:NONE RECOMMENDED  OSHA PEL:400 PPM
ACGIH TLV:400 PPM/500STEL;9394
======================================
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:N/A. THIS ITE M IS SAFE AS A TOPICAL CLEANSING AGENT. Explanation of Carcinogenicity:THIS CHEMICAL IS NOT LISTED AS HAVING ANY EVIDENCE OF BEING CARCINOGENIC. Effects of Overexposure:OVEREXPOSURE MAY LEAD TO DIZZINESS, HEADACHES, DERMATITIS AND EYE IRRITATION. HIGH VAPOR CONCENTRATIONS ARE ANESTHETIC AND MAY HAVE OTHER CENTRAL NERVOUS SYSTEM EFFECTS. Medical Cond Aggravated by Exposure:PROLONGED OR REPEATED CONTACT MAY CAUSE IRRITATION
======================================
First Aid:IF SPLASHED IN EYE, RINSE THOROUGHLY WITH COLD WATER FOR 15 MINUTES. IF INGESTED, DRINK 2 GLASSES OF WATER, INDUCE VOMITING. CALL DOCTOR. IF INHALED, REMOVE TO FRESH AIR.
======================================
Flash Point Method:TCC Flash Point:78.0F,25.6C Lower Limits:2 Upper Limits:12.0 Extinguishing Media:DRY CHEMICAL, ALCOHOL TYPE FOAM, CARBON DIOXIDE Fire Fighting Procedures:HANDLE AS FLAMMABLE LIQUID Unusual Fire/Explosion

Hazard:VAPORS HEAVIER THAN AIR.CAN TRAVEL A LONG DISTANCE ALONG GROUND AND FLASHBACK. RESPIRATORY PROTECTION REQUIRED FOR FIRE FIGHTING PERSONNEL.
======== Accidental Release Measures ===========
Spill Release Procedures:ELIMATE ALL SOURCES OF IGNITION. SMALL SPILLS SHOULD BE FLUSHED WITH LARGE QUANTITIES OF WATER. LARGE SPILLS SHOULD BE COLLECTED FOR DISPOSAL AS FLAMMABLE WASTE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. DO NOT STORE NEAR HEAT. AVOID SPARKS AND OPEN FLAME Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:IF PERMISSIBLE EXPOSURE LEVEL IS EXCEEDED,USE NIOSH/MSHA APPROVED RESPIRATOR. Ventilation:LOCAL EXHAUST RECOMMENDED. Protective Gloves:NOT REQUIRED Eye Protection:SAFETY EYEWEAR Work Hygienic Practices:KEEP CONT AINER CLOSED WHEN NOT IN USE. Supplemental Safety and Health NONE
======== Physical/Chemical Properties ===========
HCC:F4 Vapor Pres:25.7 Vapor Density:1 (AIR=1) Spec Gravity:0.868 Evaporation Rate & Deference:1 (BUTYL ACETATE=1) Solubility in Water:COMPLETE Appearance and Odor:WATER WHITE LIQUID WITH ALCOHOL ODOR Percent Volatiles by Volume:UNK.
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES NONE SPECIFI

## ED BY MANUFACTURER.

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, OPEN FLAMES Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

====== Disposal Considerations ==========

Waste Disposal Methods: VERY DILUTE QUANTITIES, IN SMALL AMOUNTS, CAN BE DISCHARGED INTO SEWERAGE SYSTEM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.