Product ID: EXPO CLEANER FOR DRY ERASE SURFACES, 67429 MSDS Date:02/21/1996 FSC:6850 NIIN:01-186-0859 MSDS Number: BTKVG === Responsible Party === Company Name: SANFORD CORP Address:2740 WASHINGTON BLVD City:BELLWOOD State:IL ZIP:60104-1940 Country:US Info Phone Num:800-323-0749 Emergency Phone Num:800-228-5635 Preparer's Name: JAMIE PAULIN CAGE:86874 === Contractor Identification === Company Name: HIGHSMITH INC Address:W. 5527 STATE ROAD 106 Box:800 **City:FORT ATKINSON** State:WI ZIP:53538-0800 Country:US Phone:800-558-2110 CAGE:53448 Company Name: SANFORD CORPORATION Address:2740 WASHINGTON BLVD. Box:City:BELLWOOD State:IL ZIP:60104 Country:US Phone:1-800-323-0749 CAGE:86874

Ingred Name:WATER CAS:7732-18-5 RTECS # :ZC0110000 Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Ingred Name:ISOPROPYL ALCOHOL (SARA 313) CAS:67-63-0 RTECS #:NT8050000 Other REC Limits:NONE RECOMMENDED OSHA PEL:400 PPM ACGIH TLV:400 PPM/500STEL;9596

Ingred Name:2-BUTOXYETHANOL/ETHYLENE GLYCOL MONOBUTYL ETHER CAS:111-76-2 RTECS #:KJ8575000 Other REC Limits:NONE RECOMMENDED OSHA PEL:S, 50 PPM ACGIH TLV:S, 25 PPM; 9596

LD50 LC50 Mixt ure:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYE, SKIN, CNS, **RESPIRATORY & GI TRACTS. ACUTE- MAY CAUSE EYE IRRITATION.** REPEATED/PROLONGED SKIN CONTACT CAN CAUSE DRYING. HIGH VAPOR CONCENTRATIONS MAY PRODUCE RESPIRATORY IRRITATION, CNS EFFECTS. INGESTION MAY CAUSE VOMITING. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Ov erexposure: IRRITATION, HEADACHE, DIZZINESS, NAUSEA, SKIN DRYNESS, TEARING, BLURRED VISION Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED CNS OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUC E VOMITING. IF CONSCIOUS, DRINK A GLASSOF WATER. SEEK MEDICAL ATTENTION.

Flash Point:105F,41C

Lower Limits:2.5% ISOPROP

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-

CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK. CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP.

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND OR VERMICULITE. TRANSFER TO CONTAINER FOR

REUSE, RECYCLING/DISPOSAL. P REVENT LIQUID FROM ENTERING SEWERS OR WATERWAYS.

Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:STORE IN COOL, VENTILATED AREA, AWAY FROM HEAT, FLAMES, SPARKS, HOT SURFACES. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions: AVOID BREATHING VAPORS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. KEEP

OUT OF REACH OF CHILDREN. DO NOT INGEST. FOR INDUSTRIAL USE ONLY.

Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR. Ventilation:USE EXPLOSION-PROOF VENTILATION EQUIPMENT TO CONTROL VAPOR CONCENTRATIONS. Protective Gloves:NITRILE FOR REPEATED/PROLONGED CONTACT

Eye Protection:SAFETY GLASSES/CHEMICAL

SPLASH GOGGLES Other Protective Equipment:EYE BATH, SAFETY SHOWER, WASHING FACILITIES Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

HCC:F4 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:180F,82C Vapor Pres:33 @ 68F Vapor Density:>1 Spec Gravity:0.78 Appearance and Odor:CLEAR LIQUID - CHARACTERISTIC ALCOHOL ODOR

====== Stabilit

y and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEAT, FLAMES, SPARKS, HOT SURFACES Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE MAY BE FORMED DURING COMBUSTION.

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL IS SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. INCINERATION IS RECOMMENDED. SINCE EMPTIED CONTAINERS RETAIN PRO DUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTA INER IS EMPTIED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsi

bility for the suitability of this information to their particular situation.