View NSN Online: https://aerobasegroup.com/nsn/8040-00-264-5840

NORTECH ADHESIVE COMPANY -- NORTECH ADHESIVE #2189 -- 8040-00-264-5840

Product ID:NORTECH ADHESIVE #2189

MSDS Date:10/14/1988

FSC:8040

NIIN:00-264-5840

MSDS Number: BTSFG === Responsible Party ===

Company Name: NORTECH ADHESIVE COMPANY

Address:136 HALLADAY ST

Box:5256

City: JERSEY CITY

State:NJ ZIP:07305 Country:US

Info Phone Num:201-433-3766

Emergency Phone Num:2

01-433-3766 CAGE:0GD30

=== Contractor Identification ===

Company Name: NORTECH ADHESIVE CORP

Address:136 HALLADAY STREET

Box:5256

City:JERSEY CITY

State:NJ ZIP:07305 Country:US

Phone:201-433-3766

CAGE:0GD30

======= Composition/Information on Ingredients ========

Ingred Name: TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: 14%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:200 PPM; Z-2 ACGIH TLV:S, 50 PPM; 9394

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:MET

CAS:78-93-3 RTECS #:EL6475000 Fraction by Wt: 56% Other REC Limits: NONE RECOMMENDED **OSHA PEL:200 PPM** ACGIH TLV:200 PPM/300STEL;9394 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS ========== Hazards Identification ================ Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: NONE SPECIFIED BY MANUFACTURER. **Explanation of Carcinogenicity:D** OES NOT CONTAIN A CARCINOGEN. Effects of Overexposure: EYE AND SKIN IRRITATION, DEPRESSION, HEADACHE, DIZZINESS AND NAUSEA. Medical Cond Aggravated by Exposure: EXISTING EYE, SKIN AND RESPIRATORY DISORDERS. PRE-EXISTING HEART DISORDERS MAY BE AGGRAVTED. First Aid:INHALED-REMOVE TO FRESH AIR, IF NEEDED ARTIFICIAL RESPIRATION, GET MEDICAL ATTENTION.EYE-FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN-S OAP AND WATER IRRIGATION. GET MEDICAL ATTENTION. INGESTION-DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. Flash Point Method:TCC Flash Point:20.0F,-6.7C Lower Limits: 1.8 Upper Limits:11.5 Extinguishing Media: IN CASE OF FIRE, USE FOG, FOAM, DRY CHEMICALS AND CARBON DIOXIDE EXTINGUISHERS. Fire Fighting Procedures: HANDLE AS A VERY FLAMMABLE LIQUID. Unusual Fire/Explosion Hazard: CONTAINERS EXPOSED TO INTENSE HEAT FROM

HYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

======== Accidental Release Measures =========
Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. DIKE AND CONTAIN SPILL WITH INERT MATERIAL (EARTH, SAND). PLACE IN NON-LEAKING CONTAINERS.
=========== Handling and Storage ============
Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP AWAY FROM ALL SOURCES OF IGNITION. Other Preca
utions:AVOID SKIN AND EYE CONTACT. AVOID INHALATION OF VAPORS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: USE NIOSH RESPIRATOR IF TLV IS EXCEEDED. Ventilation: LOCAL EXHAUST: YES. MECHANICAL (GEGENRAL): YES. SPECIAL: EXPLOSION PROOF.
Protective Gloves:CHEMICAL RESISTANT. Eye Protection:SAFETY GOGGLES.
Other Protective Equipment:SAFETY SHOWER & EYE BATH SHOULD BE AVAILABLE.
Work Hygienic Practices:WASH WITH SOAP & WTAER AFTER HANDLING. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:F2 Boiling Pt:=55.6C, 132.F Vapor Pres:186 Vapor Density:3.2 Spec Gravity:0.7 Evaporation Rate & Density: Reference: 5.0 (N-BUTYL ACETATE=1)
Solubility in Water:INSOLUBLE Appearance and Odor:BROWN COLORED LIQUID, HYDROCARBON ODOR.
======================================
Stability Indicator/Materials to Avoid:YES CONTACT WITH STRONG OXIDIZING AGENTS. Stability Con

FIRE SHOULD BE COOLED WITH WATER TO PREVENT VAPOR PRESSURE BUILDUP.

dition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:CARBON MONOXIDE AND UNIDENTIFIABLE
COMPOUNDS MAY BE FORMED DURING COMBUSTION.

======= Disposal Considerations ==========

Waste Disposal Methods:FOLLOW FEDERAL AND LOCAL APPROVED ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of A merica in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.