View NSN Online: https://aerobasegroup.gr/nsn/6810-01-353-4876

## GREAT WESTERN CHEMICAL CO -- HYDROGEN PEROXIDE 50% -- 6810-01-353-4876

Product ID:HYDROGEN PEROXIDE 50%

MSDS Date:05/20/1991

FSC:6810

NIIN:01-353-4876

MSDS Number: BTTDJ === Responsible Party ===

Company Name: GREAT WESTERN CHEMICAL CO

Address:808 SW 15TH AVE

City:PORTLAND

State:OR ZIP:97205 Country:5S

Info Phone Num:503-228-2600

Emergency Phone Num:503-228-2600/8

00-424-9300(CHEMTREC) Preparer's Name:ED DOHENY

CAGE:GREA1

=== Contractor Identification ===

Company Name: GREAT WESTERN CHEMICAL CO

Address:808 S W 15 AVE

City:PORTLAND

State:OR ZIP:97205 Country:US

Phone:503-228-2600

CAGE:GREA1

======= Composition/Information on Ingredients ========

Ingred Name: HYDROGEN PEROXIDE (SARA III)

CAS:7722-84-1

RTECS #:MX0900000 Fraction by Wt: 50% MIN

Other REC Limits: NONE RECOMMENDED

**OSHA PEL:1 PPM** 

ACGIH TLV:1 PPM; 9394

====== Hazards

Identification ===========
LD50 LC50 Mixture:NOT ESTABLISHED ON THIS PRODUCT. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:HARMFUL IF INHALED OR SWALLOWED. CAUSES SEVERE EYE & SKIN IRRITATION OR BURNS. CHRONIC:REPEATED EXPOUSRE MAY LEAD TO DERMATITIS WITH DESTRUCTION OF TISSUES, OTHERWISE SAME AS FOR OVEREXPOSURE. Explanation of Carcinogenicity:PER MSDS MATL NOT MFG T
O HAVE KNOWN  CARCINOGEN OR REPRODUCTIVE TOXIN.EXTREMELY SM AMTS MAY BE PRESENT FROM GEN EVIR SOUR  Effects of Overexposure:CAUSES SEVERE EYE & SKIN IRRIT OR BURBS.  HARMFUL IF SWALLOWED OR INHALED.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MFG.  ===================================
First Aid:EYE:IMMED FLUSH W/PLENTY OF CLEAN RUNNING WATER @ LEAST 15MINS LIFTING EYELIDS.CALL DR IMMED. SKIN:IMMED FLUSH W/PLENTY OF CLEAN RUNNING WATER @ LEAST 15MIN WHILE REMOVING CONTAMIN CLOTH/SHOES.IF IRRI T OCCURS GET MED ATTN. INGEST:DO NOT INDUCE VOMIT.IMMED DRINK LG QUANTIY OF MILK OR WATER.CALL DR.INHAL:IMMED REMOVE TO FRESH AIR.NOT BREATH GIVE ART RESP(MOUTH-TO-MOUTH).BREATH DIFFI GIVE OXY.CALL DR
======================================
Extinguishing Media:WATER, FOAM, CARBON DIOXIDE, AND DRY CHEMICALS. Fire Fighting Procedures:WHEN FIRE FIGHTING WEAR FULL PROTECTIVE

EQUIPMENT, INCLUDI

NG SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: MAY PRODUCE HAZ FUMES/HAZ DECOMP PRODUCTS.STRONG OXIDIZER!CONTACT W/FLAMM/COMBUST VAPORS & ORG MATLS MAY INITIATE FIRE OR POSSIBLY AN EXPLOSION. SUPPORT COMUBST.

======== Accidental Release Measures ================

Spill Release Procedures: REMOVE IGNI SOURCES. CONTAIN SPILL. SM: DILUTE W/WATER.THEN ADD DRY MATL TO CONTAIN.WEAR RECOMMENDED PROTECTIVE EQPMT & EXPLOSION-PROOF EQPMT TO REMOVE BULK OF LI

Q.DILUTE REMAINDER W/WATER.THEN ADD DRY M ATL TO ABOSRB.PICKUP & CONTAINERIZE.FLUSH W/WATER. Neutralizing Agent:WATER.
======================================
Handling and Storage Precautions:STORE IN COOL, WELL-VENTILATED AREA AWAY FROM HEAT & OXIDIZABLE ORGANIC MATERIALS, TIGHTLY CLOSED WHEN NOT IN USE.KEEP OUT OF REACH OF CHILDREN. Other Precautions:WHEN EMPTY RINSE WELL CONTAINER W/WATER BEFORE DISPOSAL,RETURN TO MFG OR ANY OTHER INDUSTRIAL U SE.DON'T ALLOW MATL TO STAND IN OPEN CONTAINER AS WATER EVAPORATION CAN OCCUR & MAY
CONCEN PEROXIDE CONTE NT TO PT BECOMES SHOCK SENSIT & EXPLODE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:IF THE OSHA-PEL IS EXCEEDED A NIOSH-APPROVED RESPIRATOR WITH SUPPLIED AIR OR A SCBA IS REQUIRED. Ventilation:LOCAL EXHAUST REQUIRED.MECHANICAL(GEN) AS A SUPPLEMENT TO THE LOCAL EXHAUST SYSTEM. Protective Gloves:RUBBER OR SYNTHETIC RUBBER. Eye P
rotection:CHEMICAL GOGGLES & FULL FACE SHIELD. Other Protective Equipment:RUBBER OR PVC SLIKER SUITE, RUBBER BOOTS, EYEWASH, SAFETY SHOWER. Work Hygienic Practices:WASH HANDS AFTER HANDLING. AVOID EYE/SKIN/CLOTH
CONTACT.WASH CONTAM CLOTH/SHOE PRIOR TO REUSE. Supplemental Safety and Health FOOD GRADE PRODUCTS ARE NOT FOR REPACKAGING. FOOD GRADE HYDROGEN PEROXIDE IS APPROVED BY FDA & USDA FOR CERTAIN INDUSTRIAL APPLICATIONS. IT IS NOT APPROVED FOR ANY THERAPEUTIC PURPOSE.
====== ======= Physical/Chemical Properties =================
HCC:D1 Boiling Pt:B.P. Text:237F,114C Melt/Freeze Pt:M.P/F.P Text:-62F,-52C Spec Gravity:1.195 @58F

pH:3-5

Solubility in Water: COMPLETE.

Appearance and Odor:CLEAR, COLORLESS LIQUID WITH A SLIGHTLY PUNGENT, IRRITATING ODOR.

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES

ORGANICS OR OTHER FLAMM & COMBUSTIBLE MATL, CATALYTIC METALS, REDUCING AGENTS, & OTHER OXIDIZE

RS.
Stability Condition to Avoid:HOT STORAGE.
Hazardous Decomposition Products:DECOMPOSITION PRODUCES HEAT, STEAM, & LARGE VOLUMES OF OXYGEN.

======= Disposal Considerations ============

Waste Disposal Methods:PRODUCT IF DISPOSED AS SHIPPED MEETS EPA CRITERIA OF HAZ WASTE AS SPECIFIED IN 40CFR261 ON BASIS OF IGNITABILITY.DISPOSE OF PRODUCT IN LICENSED HAZ WASTE DISPOSAL FACILITY IAW ALL APPLICABLE LAWS.COLL ECT RINSATES FROM SPILLS FOR DISPOSAL OR SEW

ER,APP

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.