View NSN Online: https://aerobasegroup.com/nsn/8010-01-292-8894

COURTAULDS AEROSPACE COATINGS(EX:DESOTO AEROSPACE) -- WATERBORNE LT GREEN

PRIMER 513X408 -- 8010-01-292-8894

Product ID:WATERBORNE LT GREEN PRIMER 513X408

MSDS Date:05/08/1992

FSC:8010

NIIN:01-292-8894

Kit Part:Y

MSDS Number: BTTLP === Responsible Party ===

Company Name: COURTAULDS AEROSPACE COATINGS (EX: DESOTO AEROSPACE)

Address:1608 4TH ST City:BERKELEY

State:CA

ZIP:94710 Country:US

Info Phone Num:415-526-1525 / FAX 415-525-5669

Emergency Phone Num:415-526-1525, CHEMTREC 800-424-9300

CAGE:83574

=== Contractor Identification ===

Company Name: DESOTO INC PACIFIC PLANT IS COURTLANDTS AEROSPACE

Address:1608 4TH ST Box:City:BERKELEY

State:CA ZIP:94710 Country:US

Phone:800-228-5635 /800-424-9300 CHEMTREC

CAGE:85570

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Countr

y:US

Phone:818-240-2060

CAGE:83574

====== Composition/Information on Ingredients ========

Ingred Name: EPOXY PHENOLIC RESIN

CAS:68334-76-9 Fraction by Wt: 20%

Other REC Limits: NONE RECOMMENDED

Ingred Name:2-PRPOXYETHANOL

CAS:2807-30-9 Fraction by Wt: 10%

Other REC Limits: NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 35% C Limits: NONE RECOMMENDED Ingred Name:STRONTIUM CHROMATE (SARA III) CAS:7789-06-2 RTECS #:GB3240000 Fraction by Wt: 15% Other REC Limits: NONE RECOMMENDED OSHA PEL:C 0.1 MG (CRO3)/M3 ACGIH TLV:0.0005MG(CR)/M3;A294 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 200F,>93C Lower Limits:1.25% Extinguishing Media: CARBON DIOXIDE, FOG, DRY CHEMICAL, FOAM Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR PROTECTIVE CLOTHING AND S ELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. CONTAINER MAY BURST IN FIRE. ======== Accidental Release Measures ============ Spill Release Procedures: SMALL SPILL: WIPE UP WITH RAGS OR TOWELS. LARGE SPILLS: EVACUATE AREA, WEAR NIOSH APPROVED RESPIRATOR. VENTILATE AREA. DIKE TO RETAIN FLUID. PUMP UP FREE LIQUID OR ABSORB IN CLAY/SAND. DO NOT FLUSH TO SEWER OR WATERWAY. Neutralizing Agent:NONE ============= Handling and Storage ========================== Handling and Storage Precautions: STORE IN A COOL (BELOW 80F), WELL VENTILATED AREA, AWAY FROM OPEN FLAMES AND SOURCES OF IGNITION. Other Precautions: EMPTY CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE,

CUT, WELD OR EXPOSE TO HEAT, FLAME, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY.

===== Exposure Controls/Personal Protection ======

======

Respiratory Protection: NONE NORMALLY REQUIRED. USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IF TLV IS EXCEEDED OR WHEN SPRAYING OR USING IN CONFINED SPACES.

Ventilation:LOCAL EXHAUST PREFERABLE

Protective Gloves:NITRILE, RUBBER

Eye Protection: SAFETY GLASSES

Other Protective Equipment:EYE BATH, SAFETY SHOWER, RUBBER APRON Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE WHILE WORKING WITH THIS PRODUCT. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

1 QT KIT CONSISTING OF TWO COMPONENTS.

======== Physical/Chemical Properties ==========

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Vapor Density:>1 Spec Gravity:1.29

Evaporation Rate & Dry Reference: