

COURTAULDS AEROSPACE INC -- PR-1005-L -- 8030-00-664-4954

=====  
Product Identification  
=====

Product ID:PR-1005-L

MSDS Date:06/21/1993

FSC:8030

NIIN:00-664-4954

MSDS Number: BTVZH

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-549-7586

Emergency Phone Num:818-549-7586

Preparer's

Name:J SAMSON

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====  
Composition/Information on Ingredients  
=====

Ingred Name:2-BUTANONE (METHYL ETHYL KETONE) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 50%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM;STEL 300 PPM

ACGIH TLV:200 PPM;

STEL 300 PPM  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:2-PROPANOL (ISOPROPYL ALCOHOL)  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 15%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:400 PPM;STEL 500 PPM  
ACGIH TLV:400 PPM;STEL 500 PPM

Ingred Name:HEXONE (METHYL ISOBUTYL KETONE) (SARA III)  
CAS:108-10-1  
RTECS #:SA9275000  
Fraction by Wt: 10%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:50 PPM; STEL 75 PPM  
ACGIH TLV:50 PPM; STEL 75 PPM  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:  
PHENOLIC RESIN  
CAS:9039-25-2  
Fraction by Wt: 15%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:BUTADIENE ACRYLONITRILE COPOLYMER (NON-HAZARDOUS  
INGREDIENT)  
CAS:9003-18-3  
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC (LESS EXEMPTIONS): 709 G/L (TESTED EPA METHOD 24)  
RTECS #:9999999VO  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO

OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION. LIQUID CONTACT MAY DAMAGE EYE TISSUE. SKIN: IRRITATION & DERMATITIS. INHALATION: NOSE & THROAT IRRITATION, HEADACHE, DIZZINESS, NAUSEA, VOMITING, MENTAL DEPRESSION, NARCOSIS, ANESTHESIA, & COMA. INGESTION: HEADACHE, DIZZINESS, FLUSHING, NAUSEA, VOMITING, MENTAL DEPRESSION, NARCOSIS, ANESTHESIA & COMA.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES, IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS ARE PRESENT, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR . IF SYMPTOMS ARE PRESENT, CONSULT A PHYSICIAN. INGESTION: INDUCE VOMITING. CONSULT A PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Method:PMCC  
Flash Point:23.0F,-5.0C  
Extinguishing Media:FOAM, CO2, DRY CHEMICAL  
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.  
Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:PROTECT FROM IGNITION. COVER WITH ABSORBENT MATERIAL. SCOOP INTO CONTAINER. CLEAN UP RESIDUE WITH A SUITABLE SOLVENT.

=====  
Handling and Storage  
=====

Other Precautions:THIS PRODUCT CONTAINS A TOXIC CHEMICAL OR CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:WHEN APPLYING IN CONFINED AREAS OR OTHER CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF SOLVENTS IN EXCESS OF PEL, USE AIR SUPPLIED RESPIRATOR.  
Ventilation:GENERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL.  
Protective Gloves:SOLVENT

-RESISTANT GLOVES  
Eye Protection:GOGGLES OR FULL FACE SHIELD  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2  
Boiling Pt:B.P. Text:175 TO 214F  
Vapor Pres:70 (MEK)  
Vapor Density:> AIR  
Spec Gravity:0.85  
Solubility in Water:APPRECIABLE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS.  
Hazardous Decomposition Products:OXIDES OF CARBON

=====

== Disposal Considerations =====

Waste Disposal Methods:EPA NO. D001 AND D035 HAZARDOUS WASTE. DISPOSE  
IN COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.