

===== Product Identification =====

Product ID:VARGLAS SILICONE RESIN 500

MSDS Date:02/14/1992

FSC:5970

NIIN:00-835-1012

MSDS Number: BVFSB

=== Responsible Party ===

Company Name:VARFLEX CORPORATION

Address:512 WEST COURT STREET

City:ROME

State:NY

ZIP:13440

Country:US

Info Phone Num:315-336-4400

Emergency Phone Num:315-336-4400

Preparer's Name:UNREADABLE

CAGE:79074

=== Contractor Identificati

on ===

Company Name:VARFLEX CORPORATION

Address:512 WEST COURT STREET

Box:City:ROME

State:NY

ZIP:13440

Country:US

Phone:315-336-4400

CAGE:79074

===== Composition/Information on Ingredients =====

Ingred Name:FIBROUS GLASS

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 RDUST

ACGIH TLV:10 MG/M3 TDUST 9394

Ingred Name:SILICONE COATING-METHYL, PHENYL

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL

LD50 (RAT) IS UNKNOWN.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: EYES: MAY PRODUCE TEMPORARY MECHANICAL IRRITATION. SKIN: MAY PRODUCE ITCHING AND TEMPORARY MECHANICAL IRRITATION. INHALATION: MAY CAUSE IRRITATION OF MOUTH, NOSE, AND THROAT. INGESTION: NONE SPECIFIED. CHRONIC: NONE SPECIFIED.  
Explanation of Carcinogenicity:NONE.  
Effects of Overexposure:EYES: IRRITATION. SKIN: ITCHING, IRRITATION.  
INHALATION: IRRITATION OF MOUTH, NOSE, THROAT.  
Medical Conditions Aggravated by Exposure:PERSON WITH A HISTORY OF CHRONIC RESPIRATORY OR SKIN CONDITIONS THAT ARE AGGRAVATED BY MECHANICAL IRRITANTS MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN AREA WITH SOAP AND WATER. DO NOT RUB OR SCRATCH IRRITATED AREAS. INHALATION: MOVE TO FRESH AIR. IF ADVERSE SYMPTOMS DEVELOP OR PERSIST, GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Extinguishing Media:WATER, FOAM, CARBON DIOXIDE, DRY CHEMICAL.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING.  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill  
Release Procedures:FOR DUST AND FIBERS GENERATED DURING FABRICATION, VACUUM AND CONTAINERIZE FOR LATER DISPOSAL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN THE ABSENCE OF DIRECT SUNLIGHT AND AT A RELATIVE HUMIDITY OF 30-60%. USE PROTECTIVE GLOVES IF YOU HAVE SENSITIVE SKIN.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personnel =====

al Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO  
MAINTAIN EXPOSURE BELOW REGULATORY LIMITS.

Protective Gloves:WORK GLOVES WHEN HANDLING.

Eye Protection:WEAR SAFETY GLASSES.

Other Protective Equipment:NONE

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING,  
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

NONE

===== Physic

al/Chemical Properties =====

HCC:N1

Spec Gravity:1.2

Appearance and Odor:SILICONE RESIN COATED FIBERGLASS, COLOR BLACK. NO  
ODOR. 2.5 WIDE X 3.5 FEET LON

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:NONE KNOWN.

Hazardous Decomposition Products:SIZINGS AND BINDERS MAY DECOMPOSE IN  
FIRE PRIMARILY TO CARBON MONOXIDE, CARBON DIOXIDE, AND OTHER  
HYDROCARBONS.

Condition

s to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN MUNICIPAL OR INDUSTRIAL  
LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this inf

ormation to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.