

EASTMAN KODAK COMPANY -- 188 8742 VNF-1/RVNP COLOR DEVELOPER,PART A-1 --  
6750-00-965-4954

=====  
===== Product Identification =====

Product ID:188 8742 VNF-1/RVNP COLOR DEVELOPER,PART A-1

MSDS Date:05/25/1994

FSC:6750

NIIN:00-965-4954

MSDS Number: BVFSK

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477

-3194 FOR MSDS : 242-2424

Emergency Phone Num:716-722-5151

Preparer's Name:UNKNOWN.

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====  
===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 60 - 65%

Other REC Limits:NONE RECOMMENDED

Ingred Name

:PHOSPHONIC ACID,(1-HYDROXYETHYLIDENE)DI-/SUBSTITUTED  
PHOSPHONATE

CAS:2809-21-4

RTECS #:SZ8562100

Fraction by Wt: 35 - 40%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES. ACUTE-

INHALATION:EXPECTED TO BE A LOW HAZARD FOR RECOMMEN

DED HANDLING.

EYES:MAY CAUSE TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR

RECOMMENDED HANDLING. INGESTION:EXPECTED TO BE A LO W INGESTION

HAZARD. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES IRRITATION

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES:IMMEDIATELY

FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN.

SKIN:FLUSH WITH PLENTY OF WATER. INHALATI

ON:REMOVE TO FRESH AIR.

INGESTION:DRIN K 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, ALCOHOL FOAM OR DRY

CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED

SELF-CONTAINED BREATHING APPARATUS. FIRE MAY PRODUCE HAZARDOUS

DECOMPOSITION PRODUCT.

Unusual Fire/Explosion Haz

ard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH MATERIAL TO SEWER WITH LARGE AMOUNT OF

WATER IF REGULATIONS ALLOW OR ABSORB SPILL WITH VERMICULITE. PLACE

IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO

REMOVE RESIDUAL CONTAMINA TION.

Neutralizing Agent:NOT RELEVANT

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. KEEP AWAY FROM

OXIDIZERS.

Other Precautions:WASH THOROUGHLY AFTER HANDLING. AVOID EYE CONTACT.  
KEEP OUT OF REACH OF CHILDREN. USE WITH ADEQUATE VENTILATION.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. TYPICALLY,  
10 ROOM VOLUMES PER HR IS CONSIDERED GOOD GENERAL VENTILATION.

Protective Gloves:RUBBER/LATEX IF REPEATED CONTACT

Eye Protection:SAFETY GLASSES WITH SIDE SHIELD/GOG  
GLES

Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND  
IMPERVIOUS CLOTHING

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR  
FOOTWEAR.

Supplemental Safety and Health

KEY1:C4. PART A-1 OF THE KIT. FORMULA CHANGED. FOR PREVIOUS  
FORMULATION, SEE PNI B, SAME NSN.

=====  
===== Physical/Chemical Properties =====

HCC:F8

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. T

ext:>212F,>100C

Vapor Pres:18 @ 68F

Vapor Density:0.6

Spec Gravity:1.40

pH:10.2

Solubility in Water:COMPLETE

Appearance and Odor:LIGHT YELLOW LIQUID - AMMONIA ODOR

Percent Volatiles by Volume:60

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,  
OXIDES OF PHOSPHORUS

=====  
===== Disposal C

considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.