

DELTA PLASTICS CO (FORMALLY DELTA DPC, INC) -- BODY FILLER COMPOUND A & B --
8010-01-060-7176

===== Product Identification =====

Product ID:BODY FILLER COMPOUND A & B

MSDS Date:12/14/1992

FSC:8010

NIIN:01-060-7176

Kit Part:Y

MSDS Number: BVXBX

=== Responsible Party ===

Company Name:DELTA PLASTICS CO (FORMALLY DELTA DPC, INC)

Address:10513 ROAD 236

City:TERRA BELLA (FORMALLY IN TULARE)

State:CA

ZIP

:93270

Country:US

Info Phone Num:209-535-1332 / 209-535-3723 (FAX)

Emergency Phone Num:209-535-1332 / 209-535-3723 (FAX)

Preparer's Name:ERIC SKIFF

CAGE:DO191

=== Contractor Identification ===

Company Name:DELTA DPC, INC

Address:983 E. LEVIN AVE.

Box:City:TULARE

State:CA

ZIP:93274

Country:US

Phone:209-686-1644

CAGE:0ND20

Company Name:DELTA PLASTICS CO.

Address:280 MAIN ST. PO BOX 489

Box:489

City:PIXLEY

State:CA

ZIP:93256

Phone:209-757-2010

CAGE:DO191

===== Composition/Information on I

Ingredients =====

Ingredient Name: POLYESTER RESIN

Fraction by Wt: 35-39%

Other REC Limits: NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: ACUTE: MAY CAUSE RESPIRATORY

IRRITATION OR NAUSEA. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR G

REATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure: REDNESS, IRRITATION.

Medical Cond Aggravated by Exposure: ALLERGY, SKIN CONDITIONS.

===== First Aid Measures =====

First Aid: EYES-FLUSH WITH LOTS OF WATER FOR 15 MINUTES. GET MEDICAL
ATTENTION. SKIN-REMOVE CONTAMINATED CLOTHES. FLUSH WITH WATER.
INHALATION-REMOVE TO FRESH AIR. RESTORE BREATHING IF NEEDED. GET
MEDICAL ATTENTION. INGESTION-INDUCE VOMITING ONLY UNDER

SUPERVISION OF MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO
UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point Method: TOC

Flash Point: 210F, 99C

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: KEEP AWAY FROM HEAT AND SOURCES OF
IGNITION.

===== Accidental Release Measures =====

Spill Release Proce

dures:ELIMINATE ALL SOURCES OF IGNITION. PREVENT FLOW INTO SEWERS OR WATERWAYS. CLEAN UP WITH AN INERT ABSORBANT USING NON-SPARKING TOOLS.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP PRODUCT COOL, DRY AND AWAY FROM SOURCES OF IGNITION AND INCOMPATIBLE MATERIALS. USE WITH ADEQUATE VENTILATION.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE PROVIDED RESPIRATOR. DLA-HMIS-IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS;USE NIOSH/MSHA APPROVED RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA,AS REQUIRED.USE IAW 29 CFR 1 910.134 & MFR'S RECOMMENDATIONS.

Ventilation:LOCAL EXHAUST PREFERABLE.

Protective Gloves:USE PROVIDED GLOVES.

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION.

Work Hygienic Practices:FOLLOW PRUDENT HYGIENIC PROCEDURES.

Supplemental Safety and Health

KEY1=N1. PART A OF 4 PART KIT. FOR PART B,C & D SEE PNI B,C & D THIS NSN/CAGE. MSDS ENTERED BY DLA-HMIS UNDER PROJECT FOR GSA.

===== Physical/Chemical Properties =====

HCC:V5

Vapor Density:>1

Spec Gravity:1.02

Viscosity:PASTE

Evaporation Rate & Reference: