

JET-LUBE INC -- THOMAS & BETTS KOPR-SHIELD;CP-8;ANTISEIZE COM

=====  
MSDS Safety Information  
=====

FSC: 8030  
NIIN: 01-234-2792  
MSDS Date: 09/30/1991  
MSDS Num: BVYJP  
Product ID: THOMAS & BETTS KOPR-SHIELD;CP-8;ANTISEIZE COMPOUND  
MFN: 01  
Responsible Party  
Cage: 0A307  
Name: JET-LUBE INC  
Address: 4849 HOMESTEAD RD  
B  
ox: 21258  
City: HOUSTON TX 77026  
Info Phone Number: 713-674-7617  
Emergency Phone Number: 713-674-7617  
Preparer's Name: DONALD A.OLDIGES  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 0A307  
Name: JET-LUBE INC  
Address: 4849 HOMESTEAD RD  
Box: 21258  
City: HOUSTON TX 77026  
Phone: UNKNOWN  
Cage: 5K813  
Name: THOMAS & BETTS (SIERRA LUBRICANTS-MFR)  
Address: UNKNOWN  
C  
ity: UNKNOWN NK 00000  
Phone: UNKNOWN

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: ANTISEIZE COMPOUND  
Specification Number: MIL-A-907,REV.E  
Type/Grade/Class: NONE  
Unit of Issue: BT  
Quantitative Expression: 00000000008OZ  
UI Container Qty: 0  
Type of Container: SQUEEZE BOTTL

=====  
Ingredients  
=====

=====  
Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: TLV(TWA) FOR OIL MISTS IS 5MG/M3

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE  
IRRITATION.INGEST:MAY CAUSE GI TRACT IRRITATION.INHAL:MAY CAU  
SE RESPIRATORY  
IRRITATION.

Explanation Of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE  
IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Signs And Symptions Of Overexposure: SKIN:REDNESS.

Medical Cond Aggravated By Exposure: PERSONS WITH HYPERSENSITIVITY TO PETROLEUM  
PRODUCTS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid: SKIN:REMOVE CONTAMINATED CLOTHING;REMOVE BY WIPING OR USE A  
WATERLESS HANDWASHER;FOLLOW WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15  
MINUTES.IN

HAL:CLEAR AIR PASSAGEWAYS.REMOVE TO FRESH AIR.GIVE OX YGEN OR  
ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMPT  
QUALIFIED MEDICAL ATTENTION.

=====  
Handling and Disposal  
=====

Spill Release Procedures: WIPE UP;SOAK UP RESIDUE WITH NON-COMBUSTIBLE INERT  
ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR  
DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIP  
PERINESS.

Neutralizing Agent: NONE

Waste Disposal Methods: CONSULT FEDERAL,STATE AND LOCAL REGULATIONS REGARDING  
DISPOSAL OF PETROLEUM PRODUCTS.

Handling And Storage Precautions: STORE IN A COOL,DRY,WELL-VENTILATED  
PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions: FOLLOW LABEL DIRECTIONS.AVOID SKIN AND EYE CONTACT.  
=====

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Me

thod: COC

Flash Point Text: 561F,294C

Autoignition Temp Text: 599F

Lower Limits: 0.9

Upper Limits: 7

Extinguishing Media: WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM, VAPORIZING LIQUID TYPE EXTINGUISHANT.

Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire/Explosion Hazard: FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

=====  
Control Measures  
=====

Respiratory Protection: NOT NEEDED IN NORMAL SERVICE.

Ventilation: NOT NEEDED IN NORMAL SERVICE.

Protective Gloves: SOLVENT RESISTANT

Eye Protection: NOT NEEDED IN NORMAL SERVICE.

Other Protective Equipment: NONE

Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS PRODUCT. WASH HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health: NONE  
=====

Physical/Chemical Properties  
==  
=====

HCC: N1

B.P. Text: 826F,441C

Decomp Text: UNKNOWN

Vapor Pres: <0.01

Vapor Density: >5

Spec Gravity: 1.23

Solubility in Water: NONE

Appearance and Odor: PASTE; COPPER COLORED; PETROEUM ODOR

Corrosion Rate: UNKNOWN  
=====

Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: HIGH HEAT.

Materials To Avoid: STRONG OXIDIZI

NG AGENTS, MATERIALS WHICH WILL REACT WITH  
COPPER.

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON  
MONOXIDE, HYDROGEN, ALDEHYDES, SMOKE, TOXIC COPPER COMPOUNDS.

Hazardous Polymerization Indicator: NO

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: 0A307

Trans ID NO: 117322

Product ID: THOMAS & BETTS KOPR-SHIELD; CP-8; ANTISEIZE COMPOUND

MSDS Prepared Date: 09/30/1991

Review Date: 12/13/1994

MFN: 1

Net Unit Weight: 0.65 LBS

AF MMAC Code: NR

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: BT

Container QTY: 0

Type Of Container: SQUEEZE BOTTL

Additional Data: NONE  
=====

Detail DOT Information  
=====

=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shippin

g Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: THOMAS & BETTS KOPR-SHIELD;CP-8;ANTISEIZE COMPOUND

Cage: 0A307

Company Name: JET

-LUBE INC

Street: 4849 HOMESTEAD RD

PO Box: 21258

City: HOUSTON TX

Zipcode: 77026

Health Emergency Phone: 713-674-7617

Label Required IND: Y

Date Of Label Review: 12/13/1994

Status Code: C

MFG Label NO: KOPR-SHIELD CP8

Label Date: 12/13/1994

Origination Code: F

Skin Protection IND: YES

Signal Word: CAUTION

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE IRRITATION.INGEST:MAY CAUSE GI TRACT

IRRITATION.INHAL:MAY CAUSE RESPIRATORY IRRITATION. STORE IN A COOL, DRY, WELL-VENTILATED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. FIRST AID: SKIN: REMOVE CONTAMINATED CLOTHING; REMOVE BY WIPING OR USE A WATERLESS HANDWASHER; FOLLOW WITH SOAP AND WATER. EYES: FLUSH WITH WATER FOR 15 MINUTES. INHAL: CLEAR AIR PASSAGEWAYS. REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. INGEST: DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION.

=====

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of

the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.