

WITCO CHEMICAL CORP KENDALL REFINING CO DIV -- AMALIE DEXRON II AND MERCON
AUTOMATIC TRRRANSMISSION FLUID -- 9150-01-353-4799

=====
Product Identification
=====

Product ID:AMALIE DEXRON II AND MERCON AUTOMATIC TRRRANSMISSION FLUID

MSDS Date:04/12/1990

FSC:9150

NIIN:01-353-4799

MSDS Number: BVZQD

=== Responsible Party ===

Company Name:WITCO CHEMICAL CORP KENDALL REFINING CO DIV

Address:77 N KENDAL

L AVENUE

Box:2000

City:BRADFORD

State:PA

ZIP:16701-1726

Country:US

Info Phone Num:814-368-6111

Emergency Phone Num:814-368-6111

CAGE:75273

=== Contractor Identification ===

Company Name:WITCO CHEMICAL CORP,KENDALL REFINING CO. DIVISION

Address:77 N KENDALL AVENUE

Box:2000

City:BRADFORD

State:PA

ZIP:16701-1726

Country:US

Phone:814-368-6111

CAGE:75273

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM HYDROCARBONS

Other REC Limits:NONE RECOMMENDED

OSHA PEL

:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:ADDITIVES

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:TLV = 5 MG/M3 (OIL MIST)

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PROLONGED OR REPEATED SKIN CONTACT MAY
CAUSE DERMATITIS (SKIN IRRITATION).

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGR

EDIENTS AT

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION, DERMATITIS.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH

WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. IN HALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: GET MEDICAL ATTENTION IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>400F,>204C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &

FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. DO NOT USE WATER EXCEPT AS FOG.

Unusual Fire/Explosion Hazard:DO NOT USE DIRECT STREAM OF WATER ON FIRE. TOXIC GASES ARE RELEASED DURING COMBUSTION.

=====
===== Accidental Release Measures =====

Spill Release Procedures:TRANSFER BULK OF MIXTURE INTO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND OR VERMICULITE. SWEEP UP AND DISPOSE AS REQUIRED.

Neutralizing Agent:NONE

SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES. DO NOT HANDLE OR STORE AT TEMPERATURES >100F.

Other Precautions:AVOID SKIN CONTACT. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA CERTIFIED RESPIRA

TOR WITH ORGANIC

VAPOR CARTRIDGE IF VAPOR CONCENTRATION EXCEEDS PERMISSIBLE EXPOSURE LIMIT.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:NEOPRENE

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO AVOID SKIN CONTACT. AN EMERGENCY EYE WASH STATION AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFO

RE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>625F,>329C

Melt/Freeze Pt:M.P/F.P Text: