

HYDROTEX,INC. -- M-50 SUPER SHIELD ALL NLGI GRADES;50-0 -- 9150-00-149-0696

=====
Product Identification
=====

Product ID:M-50 SUPER SHIELD ALL NLGI GRADES;50-0

MSDS Date:02/17/1995

FSC:9150

NIIN:00-149-0696

MSDS Number: BXBKB

=== Responsible Party ===

Company Name:HYDROTEX,INC.

Address:NOT GIVEN

Box:560707

City:DALLAS

State:TX

ZIP:75356

Country:US

Info Phone Num:214-638-7400

Emergency Phone Num:

800-527-9439 800-424-9300(CHEMTREC)

CAGE:KO303

=== Contractor Identification ===

Company Name:HYDROTEX INDUSTRIES INC

Address:1165 EMPIRE CENTRAL PL

Box:560707

City:DALLAS

State:TX

ZIP:75247-0707

Country:US

Phone:214-638-7400

CAGE:53955

Company Name:HYDROTEX,INC.

Address:NOT GIVEN

Box:560707

City:DALLAS

State:TX

ZIP:75356

Country:US

Phone:214-638-7400

CAGE:KO303

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL

CAS:8012-95-1

RTECS #:PY8030000

Other RE

C Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3 (MIST); 9495

=====
===== Hazards Identification =====

LD50 LC50 Mixture:TLV FOR OIL MIST IS 5MG/M3
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: CONTACT WITH EYES MAY CAUSE IRRITATION; PROLONGED CONTACT WITH SKIN MAY CAUSE DERMATITIS. INGESTION MAY CAUSE GI TRACT IRRITATION. NO DATA GIVEN FOR INHALATION.
ED.
CHRONIC: NONE SPECIFIED BY MANUFACTURER.
Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.
Effects of Overexposure:EYES-REDNESS. SKIN-DERMATITIS. INGESTION-NAUSEA, VOMITING, PURGING (CATHARSIS).
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:SKIN-REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP & WATER.
EYES-FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALED-REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST-DO NOT INDUCE VOMITING. GET PROMPT MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:600F,316C
Extinguishing Media:USE WATER SPRAY OR FOG, CARBON DIOXIDE, FOAM, HALON OR DRY CHEMICAL.
Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN MATERIAL AND TRANSFER TO WASTE CONTAINER. ABSORB RESIDUE WITH AN INERT ABSORBANT. SCOOP UP AND DISPOSE OF IAW ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.
Neutralizing Agent:NOT APPLICABLE.

=====
===== Handling and Storage =====

e =====

Handling and Storage Precautions:STORE AWAY FROM OPEN FLAMES AND STRONG OXIDIZING AGENTS.

Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NONE NORMALLY REQUIRED.

Protective Gloves:PLASTIC.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE. DLA-HMIS: EYE WASH STATION.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING,

OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

MSDS PRESENTED BY CAGE 53933 FOR CONTRACT NUMBER SP0451-96-MP095.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:600F,316C

Spec Gravity:0.93

Solubility in Water:NIL

Appearance and Odor:SOLID, DARK GRAY; SLIGHT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stabilit

y Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF ANTIMONY, SULFUR AND NITROGEN.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF RECOVERED MATERIAL OR ABSORBENT MATERIAL IN A MANNER ACCEPTABLE TO GOOD WASTE MANAGEMENT PRACTICE AND IN COMPLIANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

LANDFILL OR INCINERATION ACCEPTABLE IF IN COMPLIANCE
WITH THE ABOVE.

=====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document
should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.