View NSN Online: https://aerobasegroup.gr/nsn/6850-01-397-5664

MULTIFORM DESICCANTS INC -- SILICA GEL;277CG18 -- 6850-01-397-5664

Product ID:SILICA GEL;277CG18 MSDS Date:05/10/1990 FSC:6850 NIIN:01-397-5664 **MSDS Number: BXCDN** === Responsible Party === Company Name: MULTIFORM DESICCANTS INC Address:960 BUSTI AT NIAGARA ST City:BUFFALO State:NY ZIP:14213-2101 Country:US Info Phone Num:716-883-8900 Emergency Phone Num:716-883-89 00 CAGE:22627 === Contractor Identification === Company Name: MULTISORB TECHNOLOGIES INC Address:325 HARLEM ROAD Box:City:BUFFALO State:NY ZIP:14224-1893 Country:US Phone:716-824-8900 CAGE:22627

Ingred Name:SILICA, CRYSTALLINE - FUSED CAS:60676-86-0 RTECS #:VV7328000 Other REC Limits:20 MPPCF OSHA PEL:SEE TABLE Z-3 ACGIH TLV:5 MG/M3

LD50 LC50 Mixture: ACGIH

 TLV FOR NUISSANCE DUST IS 10MG/M3 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE IRRITATION OR DRYINGY CAUSE GI TRACT IRRITATION.INHAL:MAY CAUSE RESPIRATORY IRRITATION. Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA. Effects of Overexposure:EYES/SKIN/INHAL:DRYNESS,DISCOMFORT
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING RESPIRATORY AILMENTS(EG.ASTHMA) MAY BE AT INCREASED RISK FROM EXPOSURE.
======================================
First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.GET MEDICAL ATTENTION.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:NO FIRST A ID NEEDED.MATERIAL WILL PASS THROUGH BODY NATURALLY.
======================================
Flash Point:NONE Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
======================================
Spill Release Procedures:SWEEP OR VACUUM;DO NOT CREATE DUST;FLUSH TO SEWER.CLEAN SPILL AREA WITH WATER. Neutralizing Age nt:NOT APPLICABLE.
======================================
 Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.COVER PROMPTY TO AVOID BLOWING DUST. Other Precautions:FOLLOW LABEL DIRECTIONS.AVOID BREATHING DUST.AVOID SKIN AND EYE CONTACT.
======================================
Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACE

S USE A NIOSH/MSHA APPROVED RESPIRATOR FOR DUST. Ventilation:USE LOCAL EXHAUST. Protective Gloves:LIGHT COTTON GLOVES. Eye Protection:DUST-PROOF GOGGLES Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION. Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING. Supplemental Safety and Health GASKET MATERIAL IS PER MIL-S-6855;CLASS 11;GRADE 60.

HCC:N1 Spec Gravit y:2.1 Solubility in Water:INSOLUBLE Appearance and Odor:GRANULES,BEADS OR POWDER;WHITE OR CLEAR.ODOR NOT REPORTED.

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods:LANDFILL OR DISPO SE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility f or the suitability of this information to their particular situation.