View NSN Online: https://aerobasegroup.gr/nsn/6810-00-275-6010

WARD'S NATURAL SCIENCE -- METHYL ALCOHOL -- 6810-00-275-6010

Product ID:METHYL ALCOHOL

MSDS Date:10/20/1992

FSC:6810

NIIN:00-275-6010

MSDS Number: BXCFK === Responsible Party ===

Company Name: WARD'S NATURAL SCIENCE

Box:92912

City:ROCHESTER

State:NY

ZIP:14692-9012 Country:US

Info Phone Num:716-359-2502

Emergency Phone Num:800-424-9300(CHEMTREC)

Preparer's Name:ALE XANDER A. PICCIRILLI

CAGE:EO227

=== Contractor Identification ===

Company Name: WARD'S NATURAL SCIENCE ESTABLISHMENT INC.

Box:92912

City:ROCHESTER

State:NY

ZIP:14692-9012

Country:US

Phone:716-359-2502

CAGE:EO227

Company Name: WARDS NATURAL SCIENCE ESTABLISHMENT INC

Address:5100 W HENRIETTA RD

Box:92912

City:ROCHESTER

State:NY

ZIP:14692-9012 Country:US

Phone: (716) 359-2502

CAGE:63759

====== Composition/Information on Ingredients ========

Ingred Name: METHYL ALCOHOL (METHANOL) (SARA

III)

CAS:67-56-1 RTECS #:PC14000

RTECS #:PC1400000 Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:S,200PPM

ACGIH TLV:S,200PPM/250STEL; 94

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

========== Hazards Identification ===========================

LD50 LC50 Mixture:OSHA TWA 200PPM, 260MG/M3 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INGEST: MAY BE FATAL. CANNOT BE MADE

NON-POISONOUS.SWALLOWI

NG LIQ CAUSES INEBRIATION, HEADACHE, NAUSEA,

VOMITING LEADING TO SEVERE ILLNESS, BLINDNESS & PERHAPS DEATH. EYE:LIQ CAUSES IRRIT. INHAL:BREATHI NG VAP MAY CAUSE DROWSINESS, NAU, VOMITING. SKIN:REPEATED CONTACT MAY IRRITATE SKIN.

Effects of Overexposure:FATAL IF INGESTED. INEBRIATION, HEADACHE, NAUSEA, VOMITING. SEVERE ILLNESS. BLINDNESS. DEATH. EYE/SKIN IRRITATION. DROWSINESS.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

Aid Measures ============

First Aid:INGEST:IF CONSC GIVE 1 OR 2 GLASSES OF WATER TO DRINK.INDUCE VOMIT BY PLACING FINGER DOWN THROAT.REPEAT TIL VOMIT FLUID IS CLEAR.CALL DR IMMED.NEVER GIVE ANYTHING BY MOUTH TO UNCONSC PERSON.INHAL:REMO VE TO FRESH AIR.NOT BREATH GIVE ARTI RESP(MOUTH-TO-MOUTH)BREATH DIFFI GIVE OXY BY TRAINED PERSONNEL.CALL DR.EYE:FLUSH W/PLENTY OF WATER FOR @LEAST 15MINS LIFTING EYELIDS.GET MED ATTN IMMED.(SUPPLEMEN)

======== F

ire Fighting Measures =========

Flash Point Method:TCC Flash Point:52.0F,11.1C


Autoignition Temp:Autoignition Temp Text:385C

Lower Limits:6. @79F Upper Limits:36.5

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL (ABC), ALCOHOL TYPE FOAM. CLASS IB FLAMMABLE LIQUID.

Fire Fighting Procedures:WEAR NIOSH APPROVED SCBA & FULL PROT CLOTH.WATER MAY BE INEFFECTIVE.USE WATERSPRAY TO COOL FIRE-EXPO CNTNRS.USE ALCOHOL RESIST FOAM TI EXT LG FIRE/BLANKET SPILL

Unusual F



======== Accidental Release Measures ===========

Spill Release Procedures: ELIMINATE ALL IGN SOURCES. USE ABSORBENT MATLS TO SOAK UP SPILLS (SAND/EARTH/VERMICULITE). CAREFULLY SWEEP UP & REMOVE. SPILLS IN CRITICAL AREAS CAN BE DILUTED W/WATER TO REDUCE FIRE HAZ DURING CLEANUP. DO NO

T FLUSH TO SEWER/DRAIN/WATERWAYS.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

=========== Handling and Storage ============================

Handling and Storage Precautions:STORE IN COOL DRY WELL VENTILATED AREA AWAY FRM STRONG OXIDIZERS & FIRE HAZ.KEEP OUT OF REACH OF CHILDREN. Other Precautions:USE EXPLOSIVE-RPOOF ELECTRICAL FIXTURES.CNTNRS SHOULD BE ELECTRICALLY GROUNDED/BONDED DURING MATL TRANSFER TO PREVENT STATIC SPARK.CORROSIVE TO LEAD & ALUMINUM.FOR LABORATORY USE

ONLY.NOT FOR DRUG/FOO D/HOUSEHOLD USE.

===== Exposure Controls/Personal Protection ========

Respiratory Protection:NONE NEEDED IN NORMAL LABORATORY HANDLING. IF MISTY CONDITONS PREVAIL WORK IN VENTILATION HOOD OR WEAR NIOSH-APPROVED RESPIRATOR AIR-SUPPLIED OR SELF-CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL EXHA:RECOMMENDED. MECHANICAL(GEN):YES. OTHER:ADEQUATE TO MAINTAIN BELOW EXPOSURE LIMIT.

Protective Gloves: RUBBER GLOVES

Eye Protection: CHEMICAL S

AFETY GLASSES

Other Protective Equipment: GOGGLES, SMOCK, APRON, EYEWASH STATION, SAFETY SHOWER, PROPER GLOVES, VENTILATION HOOD, FIRE EXTINGUISHER.

Work Hygienic Practices: WSH THOROUGHLY AFTER HANDLING. REMOVE & WAST CONTAMINATED CLOTHING.

Supplemental Safety and Health

EXPLO/FIRE HAZ:SPREAD FLAMING LIQ.VAP HEAVIER THAN AIR-MAY FLOW ALONG SURFACES TO DISTANT IGN SOURCES & FLASHBACK. 1STAID:SKIN:FLUSH W/WATER THEN WASH W/MILD SOAP/WATER.FOR ALL ROUTES:KEEP PATIENT WAR M & COVER EYES

| TO EXCLUDE LIGHT. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ========= Physical/Chemical Properties ========= |
| HCC:F5 Boiling Pt:B.P. Text:148F,65C Melt/Freeze Pt:M.P/F.P Text:-144F,-98C Vapor Pres:96 @20C Vapor Density:1.11 Spec Gravity:0.7913 Evaporation Rate & Description (N-BUTYL ACETATE=1) Solubility in Water:COMPLETE Appearance and Odor:CLEAR, COLORLESS LIQUID, ALCOHOL ODOR Percent Volatiles by Volume:100 |
| ========= Stability and Reactivity Data ========= |
| Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. PARTICULARLY PERCHLORIC ACID & LEAD PERCHLORATE, SULFURIC & NITRIC ACIDS, CHROMIC ANHYDRIDE. Stability Condition to Avoid:SPARKS, EXCESSIVE HEAT, SOURCES OF IGNITION, OPEN FLAME, STATIC CHARGE. |

Hazardous Decomposition Products:THERMAL DECOMPOSITION OR BURNING WILL PRODUCE CARBON DIXOIDE &/OR CARBON MONOXIDE.

======= Disposal Considerations ===========

Waste Disposal Methods: DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO

FED/STATE/LOC LAWS.THESE DISPOSAL GUIDELINES ARE INTENDED FOR DISPOSAL OF CATALOG-SIZE QUANT ONLY.DISPOSE OF IN AN APPROVED INCINERATOR OR CONTRACT W/LIC ENSED SOLVENT WASTE DISPOSAL SERVICE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all I

iability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.