SCHERING CORP PHARMACEUTICAL DIVISION -- VANCENASE AQ NASAL SPRAY,0295-02 6505-01-275-4812

Product ID: VANCENASE AQ NASAL SPRAY,0295-02

MSDS Date:06/26/1993

FSC:6505

NIIN:01-275-4812

MSDS Number: BXFTR === Responsible Party ===

Company Name: SCHERING CORP PHARMACEUTICAL DIVISION

Address: 2000 GALLOPING HILL RD

City:KENILWORTH

State:NJ ZIP:07033 Country:US

Info Phone Num:908-298-5044

Emergency Phone Num:908-298-5044/800-424-93

00(CHEMTREC) CAGE:1F095

=== Contractor Identification ===

Company Name: SCHERING CORP PHARMACEUTICAL DIVISION

Address:1011 MORRIS AVE

Box:3185 City:UNION State:NJ

ZIP:07083-1985 Country:US

Phone:908-820-4867

CAGE:1F095

======= Composition/Information on Ingredients ========

Ingred Name: BECLOMETHASONE DIPROPRIONATE

CAS:5534-09-8

RTECS #:TU3805000

Other REC Limits: IHGV 1 UG/M3

Ingred Name: D-GLUCOSE/DEXTROSE

CAS:50-99-7

RTECS #:LZ6600000


Other REC Limits: NONE RECOMMENDED

Ingred Nam

e:SALT/SODIUM SALT OF MICROCRYS CELL & CMCELL, NF Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Other REC Limits: NONE RECOMMENDED **OSHA PEL:NOT RELEVANT** ACGIH TLV:NOT RELEVANT =========== Hazards Identification ========================== LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS. ACUTE- MAY CAUSE EYES & SKIN IRRITATION. ACUTE EXPOSURE OR PRROLONGED EXPOSURE TO HIGH DOSES MAY CAUSE HYPERCORTICOIDISM BY INHALATION OR INGESTION. MAY CAUSE SECONDARY INFECTIONS OF THE MOUTH & THROAT. CHRONIC- UNKNOWN. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: IRRITATION, NASAL BURNING, SNEEZING, RUNNY OR BLOODY NOSE, INFECTIONS OF MOUTH AND THROAT Medical Cond Aggravated by Exposure: ASTHMATIC PATIENTS, RESPIRATORY DISEASES, UNTREATED FUNGAL, BACTERIAL, VIRAL INFECTED PEOPLE =========== First Aid Measures ============================== First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. INHALED: REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL: I F CONSCIOUS, DRINK WATER & INDUCE VOMITING. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE FLUID OR INDUCE VOMITING IF PATIENT IS U NCONSCIOUS OR HAS CONVULSIONS. ============= Fire Fighting Measures ======================== Flash Point:>200F,>93C Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: NOT SIGNIFICANT

Spill Release Procedures:W



. INCINERATION IS PREFERRED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this informatio n to their particular situation.