

EUTECTIC CORP -- EUTECTRODE 680 -- 3439-01-163-2945

=====
Product Identification
=====

Product ID:EUTECTRODE 680

MSDS Date:03/31/1993

FSC:3439

NIIN:01-163-2945

MSDS Number: BXHNV

=== Responsible Party ===

Company Name:EUTECTIC CORP

Address:40-40 172ND STREET

City:FLUSHING

State:NY

ZIP:11358-9981

Country:US

Info Phone Num:718-358-4000 FAX: 718-445-1784

Emergency Phone Num:718-358-4000

CAGE:72271

=

== Contractor Identification ==

Company Name:EUTECTIC CORP

Address:9625-J SOUTHERN PINE BLVD

Box:City:CHARLOTTE

State:NC

ZIP:28273

Country:US

Phone:704-527-9800/ 800-221-1433

CAGE:72271

=====
Composition/Information on Ingredients
=====

Ingred Name:IRON

CAS:7439-89-6

RTECS #:NO4565500

Other REC Limits:NONE RECOMMENDED

Ingred Name:CHROMIUM (SARA 313) (CERCLA)

CAS:7440-47-3

RTECS #:GB4200000

Fraction by Wt: 20-30%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1 MG/M3

ACGIH TLV:0

.5 MG/M3; 9495
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:NICKEL (SARA 313) (CERCLA)
CAS:7440-02-0
RTECS #:QR5950000
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3; 9495

Ingred Name:SODIUM SILICATE
CAS:1344-09-8
Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)
CAS:1317-65-3
RTECS #:EV9580000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:TITANIUM DIOXIDE
CA
S:13463-67-7
RTECS #:XR2275000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:FELDSPAR
CAS:68476-25-5
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)
CAS:1310-58-3
RTECS #:TT2100000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 2 MG/M3
ACGIH TLV:C 2 MG/M3; 9495
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:MANGANESE (SARA 313)
CAS:7439-96-5
RTECS #:OO9275000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 5 M

G/M3 DUST
ACGIH TLV:5 MG/M3 DUST 9495

Ingred Name:POTASSIUM TITANATE
CAS:12030-97-6
Other REC Limits:NONE RECOMMENDED

Ingred Name:FLUORSPAR
CAS:14542-23-5
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:NO HAZ EXIST FOR ARC WELDING
ELECTRODE/BRAZING RODS BEF BEING USED IN WELD/BRAZE PROCE
SS.FUMES
FRM HEAT/WELD/BRAZ/SOLDER/CUT METALS DANGEROUS TO HEALTH;OVEREXPO
CAN CAUSE LUNG/OTHER ORGANS DAMAGE.ARC RAYS/ULTRAVIOLET LIGHT
INJURE EYES/BURNSKIN.ELECTRICAL SHOCK CAN KILL.HARMFUL/FATAL IF
INGEST.

Explanation of Carcinogenicity:PER MSDS:PRODUCT CONTAINS CHROMIUM &
NICKEL-INGREDS LISTED AS CARCINOGEN/POSSIBLE CARCINOGEN IN
NTP/IARC/OSHA.

Effects of Overexposure:SHORT TERM EXPO:DIZZ,NAU,DRYNESS/IRRIT OF
NOSE/THROAT/EYES.ESCESSIVE OVEREXPO:BRONCHIAL ASTHMA,L
UNG
FIBROSIS,PNEUMOCONIOSIS OR SIDEROSIS(IRON DEPOSITS IN LUNG).METAL
FEVER:SIMILAR TO INFLUENZA TYP SIC KNESS,CHILLS,FEVER,HEAD/MUSCLE
ACHE,TIGHT CHEST,DRYN NOSE/MOUTH,NAU,VOMIT.MECHANICAL SKIN/EYE
IRRIT,PULM IRRIT.

Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY OR
ALLERGIC CONDITIONS.

=====
===== First Aid Measures =====

First Aid:INHAL:MOVE TO FRESH AIR SOURCE.CONTACT PHYSICIAN;ADVISE OF
INGREDS.SKIN:THOROUGHLY WASH W/SOA
P/WATER.IRRIT/BURN DEVELOPS
CONSULT PHYSICIAN.EYE:THOROUGHLY FLUSH W/WATER FOR @LEAST
15MINS.GET IMMED MED ADVISE FOR FLUXES/CHEM AIDS.ADVISE PHYSICIAN
OF INGREDS.INGEST:CALL PHYSICIAN &/OR POISON CNTRL CNTR.ADVISE OF
INGREDS.

=====
===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE
Extinguishing Media:CO2, DRY CHEMICAL FOAM TYPE.
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:SEE ANSI Z49 FO

R FIRE PREVENTION DURING
WELD/ALLIED PROCESSES.GENERALLY NONFLAMM;WELDING ARC/SPARKS/FLAMES
CAN IGN COMBUST/FLAMM.TOXIC FUMES PRODUCES

===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE MEASURE TO KEEP AIRBORNE DUST
BELOW EXPO LEVELS.

===== Handling and Storage =====

Handling and Storage Precautions:READ/UNDERSTAND PROD LABEL INFO FOR
PROPER PROCEDURE/USE.SEE ANSI Z49.1 FRM AMER WELD
SOC & OSHA
PUBLICATION 2206(28CFR1910).

Other Precautions:USE ADEQUA VENTI TO KEEP BELOW EXPO LIMITS.KEEP
FUME/GAS FRM BREATH ZONE.KEEP WELDER HEAD OUT OF FUMES.TO DETERMINE
COMPO/QUANT OF FUME/GAS WORKERS EXPO SAMPLE AIR INSIDE WORKER
HELMET/WELDER BREATH Z ONE-SEE ANSI/AWS F1.1 FRM AMER WELD SOC.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF WORK STATION NOT PROPERLY VENTILATED TO
EXHAUST ALL FUMES/VAPO/MIST/DUST BELOW RECOM
MENDED EXPO LIMITS USE
NIOSH APPROVED RESPIRATOR.

Ventilation:USE ENOUGH GEN VENTI/LOC EXHAU @WORK SITE TI KEEP FUME/DUST
FRM WORKER BREAZTH ZONE/GEN AREA.

Protective Gloves:WELDERS GLOVES.

Eye Protection:CHEM GOGG,FACESHIELD.

Other Protective Equipment:WEAR PROPER EAR/BODY/HAND/HEAD
PROT,HELMET/FACESHIELD W/APPROP FILTER LENS.PROT SCREENS/FLASH GOGG
FOR OTHERS,APRON

Work Hygienic Practices:TRAIN WELDER TO KEEP FACE AWAY FRM WELD
FUME/DUST PLUME & NOT TOUCH LIVE ELCTR PARTS/I
NSULATE FRM
WORK/ELECT GROUND.

Supplemental Safety and Health

HAZ DECOMPO:VENTILATION/WORKER HEAD POSITION/CONTAMIN IN ATM.PROD
GENERATED DIFFERENT IN %/FORM FROM INGREDIENTS LISTED.COMPLEX OXIDES OF
METALS LISTED,OZONE,CO,CO2,NITROGEN OXIDES,INERT GASES.

===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avo

id:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CAN'T BE CLASSIFIED;DEPEND UPON
METAL/PROCESS/PROCEDURES/ELECTRODES/COATING ON WORKPC/#OF
WORKERS/VOL OF WORKSPACE(SUPP)

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE MATL/POWDERS/GRINDING/FILLER
RESIDUE IN ENVIRONMENTALLY SENSITIVE MANNER IAW FED/STATE/LOC
REGS.USE APPROPRIATE MEASURES
TO KEEP AIRBORNE DUST BELOW EXPO
LEVELS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of
this information to their
particular situation.